

Annex 4: Catch &amp; effort statistics (monthly, Oct 2007-Dec 2008): catch in kg

Scientific name	2007			2008			1st year											
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	Oct	Nov	Dec		
Fishing days	30,245	28,393	27,559	26,289	27,023	32,151	32,222	34,903	32,310	35,267	30,637	29,307	366,306	30,042	28,897	29,040		
<b>Finfish</b>																		
<i>Arius arius</i>	12,683	9,980	9,593	6,860	6,960	6,837	6,093	7,522	7,390	6,629	5,965	5,413	91,925	11,107	17,201	14,625		
<i>Channa punctatus</i>	6,035	7,530	9,591	14,407	7,903	4,180	2,074	2,127	985	1,471	3,444	5,574	65,319	8,077	8,644	12,168		
<i>Channa striatus</i>	3,847	7,150	9,619	12,487	7,967	8,034	6,519	5,346	6,043	4,352	8,182	9,251	88,797	12,892	17,843	27,090		
<i>Chanos chanos</i>	108	24	179	3,667	0	258	60	115	9,920	31	0	90	14,451	62	1,463			
<i>Cirrhana catla</i>	101	2,072	1,095	0	5,630	5,349	713	5,099	0	4,251	91	5,497	29,898	3,975	1,177	2,514		
<i>Cirrhana mrigala</i>	0	38	218	670	73	1,231	0	996	897	1,421	0	682	6,224	875	75	825		
<i>Datnoides spp.</i>	4,256	2,768	1,552	2,055	2,585	5,404	5,481	6,804	5,115	5,541	10,930	11,189	63,679	12,821	12,896	7,423		
<i>Daysiaena albida</i>	91,090	35,846	39,477	32,646	29,137	46,712	45,945	62,495	52,815	39,525	31,037	39,941	546,666	63,447	38,450	28,555		
<i>Elasmobranchs, Sankucha</i>	91	45	605	274	587	2,151	1,461	936	150	9	0	0	6,310	47	617	276		
<i>Eleutheronema tetradactylus</i>	12,628	18,288	12,993	14,528	17,544	26,358	26,628	25,668	76,625	62,777	39,392	21,646	355,074	20,726	16,341	11,861		
<i>Elops machnata</i>	173	23	44	0	0	43	20	0	96	18	42	7	467	3	0	0		
<i>Etioplos suratensis</i>	3,329	6,470	2,221	2,287	2,631	2,660	2,342	4,709	8,837	5,010	9,361	11,732	61,587	13,465	9,398	9,902		
<i>Gerreomorpha spp.</i>	6,484	4,352	2,425	1,560	2,287	7,368	7,713	10,888	13,505	8,173	13,307	6,922	84,985	9,325	5,780	2,350		
<i>Hilsa (Tenualosa) ilisha</i>	36,322	13,352	15,620	6,153	3,724	1,582	1,329	2,011	1,067	1,487	1,596	1,462	85,706	799	318	427		
<i>Hyporhamphus limbatus</i>	9,884	18,739	17,617	14,045	17,617	34,056	30,508	48,395	63,873	54,363	32,982	20,113	362,193	14,244	10,182	13,509		
<i>Labeo rohita</i>	2,612	2,635	3,016	3,525	2,749	2,388	1,529	4,021	7,123	5,218	976	7,432	43,225	10,745	8,452	8,450		
<i>Lates calcarifer</i>	2,903	6,798	10,532	6,643	11,377	3,006	4,082	5,926	14,066	3,959	2,039	2,311	73,642	6,225	5,676	1,934		
<i>Liza macrolepis</i>	6,412	4,543	5,084	888	1,592	819	250	174	494	567	1,736	1,096	23,658	1,386	3,775	634		
<i>Liza tade</i>	13,070	20,386	40,067	31,771	20,760	17,618	12,268	12,337	22,453	22,719	10,821	8,918	233,188	11,148	13,942	11,445		
<i>Lutjanus sp.</i>	39	62	16	0	0	0	123	0	0	4	22	0	265	47	15	0		
<i>Mastacembelus sp.</i>	4,530	4,878	1,638	3,522	2,093	3,262	3,976	4,815	3,917	3,370	6,321	5,861	48,182	7,533	5,066	4,950		
<i>Megalops cyprinoids</i>	865	37	1,964	0	0	322	0	0	0	0	0	0	3,188	698	151	0		
Misc. fishes (Fresh w)	26,380	16,378	13,138	14,490	9,838	15,381	16,257	10,037	23,022	18,353	24,865	10,958	199,097	15,702	12,793	14,364		

Contid...

Annex 4: Catch &amp; effort statistics (monthly, Oct 2007-Dec 2008): catch in kg

Scientific name	2007		2008												1st year	
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	Oct	Nov	Dec
Misc. fishes (Brackish w)	660	1,029	684	476	1,223	522	9,957	1,346	5,592	13,892	19,610	4,773	59,764	2,597	2,400	5,610
Mugil cephalus	51,712	48,852	50,004	22,820	17,733	14,476	14,497	12,895	20,514	26,884	39,518	35,658	355,563	38,108	50,454	27,021
Mystus gulio	28,192	15,388	13,630	21,687	53,380	261,789	122,650	65,806	36,862	18,396	14,931	16,771	669,482	22,033	26,862	22,454
Nematolosa nasus & A. chacunda	68,486	72,526	159,523	100,646	60,947	63,770	96,893	88,455	47,480	50,728	48,521	38,758	896,734	46,162	85,850	103,698
Notopterus notopterus	20,926	21,678	15,333	14,872	18,340	30,957	29,033	18,980	14,543	16,056	20,469	28,978	250,166	45,996	29,691	23,569
Oreochromis mossambicus	6,741	4,188	4,036	2,465	535	544	30	358	1,338	14,285	19,385	12,337	66,243	23,039	21,536	17,528
Osteogeneiosus militaries	1,716	3,859	4,420	1,927	1,788	1,127	525	304	477	801	719	470	18,133	218	837	1,094
Other cat fishes	31	0	341	0	0	4,393	0	0	0	0	0	0	4,765	0	0	0
Other mullets	23,047	11,083	8,239	4,890	4,217	0	4,311	8,528	9,472	14,143	20,760	13,370	122,062	17,592	19,173	10,600
Pangasius pangasius	23	1,693	679	829	769	729	345	341	30		230	357	6,024	144	1,140	1,318
Plotosus canius	33,229	29,537	33,189	32,585	29,986	46,021	38,065	30,699	49,326	33,443	27,767	21,484	405,330	34,164	33,609	36,053
Rhabdosargus sarba & Crenidens	10,988	4,329	3,666	907	945	1,954	19,897	38,579	14,693	32,909	42,159	18,949	189,975	18,520	45,809	6,403
Rhinomugil corsula	3,523	1,462	2,001	2,962	1,334	1,775	616	964	1,601	3,196	1,462	1,606	22,502	1,722	1,687	3,082
Silaginids	2,457	1,101	679	110	12	129	159	132		146	510	294	5,728	768	1,004	16
Strongylura strongylura	11,203	11,916	12,658	11,047	13,161	18,585	17,831	25,503	29,123	32,278	26,776	15,655	225,735	14,160	11,337	14,779
Terapon spp.	6,547	3,432	3,499	2,880	1,594	2,801	2,478	3,731	8,406	14,084	15,639	7,881	72,971	7,750	2,655	2,208
Thryssa sp. & Stolephorus sp.	114,632	125,479	172,710	83,187	105,058	77,654	75,714	117,897	118,441	92,309	62,007	58,046	1,203,133	63,347	91,504	99,865
Triacanthus biaculatus	8,611	10,895	7,635	3,391	6,665	7,565	13,226	28,721	25,864	24,818	21,765	13,802	172,960	16,487	11,911	9,164
Wallago attu	4,413	3,931	2,717	3,364	3,265	4,535	4,088	3,923	4,466	3,684	1,441	3,141	42,968	3,133	3,964	2,122
<b>Crustacea</b>																
Fenneropenaeus indicus	38,940	10,590	2,198	180	378	6,844	42,313	152,811	227,698	145,535	78,586	50,510	756,584	18,888	3,282	574
Macrobrachium malcomsoni	7,114	2,341	966	763	953	1,664	1,627	4,205	3,972	3,492	12,941	14,971	55,007	12,415	2,048	591

Contid...

Annex 4: Catch &amp; effort statistics (monthly, Oct 2007-Dec 2008): catch in kg

Scientific name	2007			2008												1st year		
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	Oct	Nov	Dec		
Macrobrachium sp.	10,075	16,853	18,877	27,546	20,413	26,928	23,729	27,507	8,558	6,977	1,784	4,469	193,717	13,408	14,289	22,921		
Metapenaeus dobsoni	51,625	29,683	44,319	92,303	144,911	258,505	310,041	140,874	92,395	95,506	103,744	60,470	1,424,374	78,830	53,848	68,765		
Metapenaeus monoceros	31,607	23,097	20,741	18,256	33,604	66,982	89,578	99,001	140,555	97,594	98,855	48,309	768,178	46,722	30,541	19,267		
Penaeus monodon	20,739	9,710	12,318	7,710	24,176	45,424	37,240	47,805	31,885	43,055	34,050	16,913	331,024	20,804	15,382	8,925		
Other crabs	182	0	0	150	0	31	0	0	0	0	0	0	364	0	0	0		
<b>Catch (unclassified)</b>	496	63,538	4,609	54,541	280	14,513	15,863	747	0	140	100,931	195	255,851	1,379	526	75,117		
<b>Total</b>	<b>801,760</b>	<b>710,584</b>	<b>797,973</b>	<b>684,972</b>	<b>698,719</b>	<b>1,155,234</b>	<b>1,146,076</b>	<b>1,140,533</b>	<b>1,211,683</b>	<b>1,033,596</b>	<b>1,017,673</b>	<b>664,259</b>	<b>11,063,062</b>	<b>773,732</b>	<b>751,591</b>	<b>756,044</b>		



Annex 5.1 Landing-center-wise catch &amp; effort statistics (October 2007): catch in kg

Scientific name	Landing Centre															Total				
	Arakha-kuda	Balu-gaon	Baluga-onghat	Baula-bandh	Bhusa-ndapur	Boradi	Boro-kudi	Chan-drabut	Gajapa-tinagar	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Ku-mar-pur	Man-gala-jodi	Nairi		Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	1,044	3,415	160	1,449	3,141	405	62	997	1,389	946	3,410	666	1,094	1,110	2,281	3,898	744	791	3,245	30,245
<b>Finfish</b>																				
<i>Arius arius</i>	0	3,747	1,002	221	951	75	0	207	0	0	1,070	17	16	70	940	916	0	434	3,018	12,683
<i>Channa punctatus</i>	0	23	0	18	2,450	0	62	0	0	0	1,938	0	0	1,416	52	12	0	0	65	6,035
<i>Channa striatus</i>	0	0	0	11	2,054	0	0	0	0	0	729	0	0	1,054	0	0	0	0	0	3,847
<i>Chanos chanos</i>	0	15	52	0	0	0	0	0	0	0	0	0	0	0	0	41	0	0	0	108
<i>Cirrhana catla</i>	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	32	101
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Datnoides</i> spp.	0	54	0	54	1,518	302	0	16	0	0	1,062	0	0	0	18	32	0	0	1,200	4,256
<i>Daysciaena albida</i>	242	4,768	537	266	39,488	4,740	124	180	8	4	9,478	0	0	1,853	516	682	0	0	28,204	91,090
<i>Elaosobranchs, Sankucha</i>	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	91
<i>Eleutheronema tetradactylus</i>	177	2,775	2,299	105	551	493	0	298	0	4	2,496	1,085	0	0	75	448	0	0	1,824	12,628
<i>Elops machnata</i>	0	23	0	0	0	0	0	0	4	0	0	0	4	0	0	9	0	0	133	173
<i>Etroplus suratensis</i>	0	1,439	0	159	0	0	0	179	4	21	93	336	19	0	261	335	16	16	451	3,329
<i>Gerreomorpha</i> spp.	0	1,802	1,416	77	0	0	0	32	287	58	109	260	50	0	44	1,202	93	8	1,048	6,484
<i>Hilsa (Tenualosa) ilisha</i>	39	2,993	382	29	4,703	3,322	0	248	0	0	11,555	0	0	1,734	6	627	0	0	10,683	36,322
<i>Hyporhamphus limbatus</i>	0	3,200	0	0	1,512	279	0	0	0	0	1,364	0	0	95	39	91	0	0	3,305	9,884
<i>Labeo rohita</i>	0	0	0	0	999	0	0	0	0	0	1,248	0	0	0	0	113	0	0	252	2,612
<i>Lates calcarifer</i>	59	901	357	93	438	17	0	0	0	0	116	0	0	0	55	34	0	0	833	2,903
<i>Liza macrolepis</i>	196	2,573	853	22	269	0	0	0	0	0	1,054	110	0	542	118	497	0	0	179	6,412
<i>Liza tade</i>	79	1,567	1,591	0	0	110	0	100	3,336	124	2,155	530	0	0	23	182	202	581	2,491	13,070

Contd...

Annex 5.1 Landing-center-wise catch &amp; effort statistics (October 2007): catch in kg

Scientific name	Landing Centre																Total				
	Arakha-kuda	Balugaon	Baluganonghat	Baulabandh	Bhusandapur	Boradi	Borokudi	Chandrapur	Gajapatnagar	Gourangapatana	Kalupadaghat	Keshpur	Kumarapur	Man-galajodi	Nairi	Pathara		Ramba	Sabulia	Sorana	
Lutjanus sp.	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	39
Mastacembealus sp.	0	0	0	0	2,026	34	0	0	0	0	1,814	0	0	647	0	9	0	0	0	0	4,530
Megalops cyprinoids	0	0	393	0	94	0	0	0	0	4	16	0	0	47	0	0	0	0	0	312	865
Misc. fishes (Fresh w)	0	78	698	295	4,247	0	1,674	0	31	0	7,696	0	0	6,518	43	32	0	0	0	5,070	26,380
Misc. fishes (Brackish w)	0	153	21	0	0	0	0	0	0	0	248	0	16	0	29	37	0	0	0	156	660
Mugil cephalus	1,707	13,474	5,637	188	3,207	579	0	882	6,688	209	5,782	891	1,800	200	590	2,979	124	1,318	5,460	51,712	
Mystus gulio	0	2,396	413	327	6,948	1,026	310	262	124	16	3,712	140	169	3,728	1,502	617	16	0	6,488	28,192	
Nematolosa nasus & A. chacunda	793	10,777	2,950	580	6,444	2,833	0	920	2,408	409	13,268	1,164	3,799	352	903	3,977	628	1,318	14,962	68,486	
Notopterus notopterus	0	109	0	0	9,184	0	0	0	0	0	7,068	0	0	4,201	65	0	0	0	299	20,926	
Oreochromis mossambicus	0	153	0	0	2,994	0	0	0	0	0	1,333	0	0	2,027	0	0	0	0	234	6,741	
Osteogeneiosus militaries	236	215	0	19	0	0	0	0	0	0	481	0	0	0	31	0	0	47	688	1,716	
Other cat fishes	0	0	0	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31	
Other mullets	1,692	7,412	5,291	102	678	386	0	81	802	0	2,837	0	475	545	72	1,633	0	0	1,043	23,047	
Pangasius pangasius	0	0	0	0	0	0	0	0	0	0	23	0	0	0	0	0	0	0	0	23	
Plotosus canius	0	8,291	1,901	324	8,547	174	620	356	81	89	5,425	267	47	71	652	1,658	62	93	4,570	33,229	
Rhabdosargus sarba & Crenidens	377	3,455	3,519	0	189	0	0	12	8	0	0	17	97	0	0	2,452	0	481	382	10,988	
Rhinomugil corsula	0	0	0	0	801	0	0	0	0	0	2,139	0	0	0	0	0	0	0	583	3,523	
Silaginids	0	798	672	0	63	0	0	0	0	0	171	0	0	0	0	114	0	0	639	2,457	

Contd...

Annex 5.1 Landing-center-wise catch &amp; effort statistics (October 2007): catch in kg

Scientific name	Landing Centre																Total				
	Arakha-kuda	Balu-gaon	Baluga-onghat	Baula-bandh	Bhusa-ndapur	Boradi	Boro-kudi	Chan-draput	Gajapa-tinagar	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Ku-mar-pur	Man-gala-jodi	Nairi	Pathara		Ramba	Sabulia	Sorana	
<i>Strongylura strongylura</i>	0	4,553	0	11	1,024	52	0	0	0	0	589	2,596	8	140	161	506	0	0	1,565	11,203	
<i>Terapon</i> spp.	0	1,137	145	0	0	0	0	0	1,285	441	47	1,111	924	0	0	369	357	310	422	6,547	
<i>Thryssa</i> sp. & <i>Stolephorus</i> sp.	327	58,493	796	0	4,854	250	0	128	4	0	1,550	8,114	0	259	666	6,138	0	0	33,054	114,632	
<i>Triacanthus biaculatus</i>	0	1,020	0	50	392	106	0	156	6	101	124	304	223	0	84	1,794	70	47	4,135	8,611	
<i>Wallago attu</i>	0	1.5	0	0	3,208	0	186	0	0	0	713	0	0	166	1.5	0	0	0	109	4,413	
<b>Crustacea</b>																					
<i>Fenneropenaeus indicus</i>	196	11,860	13,330	2,024	895	584	310	30	844	138	2,038	68	270	0	1,620	291	50	153	4,239	38,940	
<i>Macrobrachium malcomsoni</i>	0	8	0	0	4,613	0	0	0	0	0	1,953	0	0	0	0	0	0	0	541	7,114	
<i>Macrobrachium</i> sp.	0	153	0	0	6,290	0	930	0	0	0	264	0	0	2,417	0	0	0	0	22	10,075	
<i>Metapenaeus dobsoni</i>	0	8,714	12,762	68	2,700	830	0	0	1,211	273	18,050	0	43	0	87	0	85	43	6,759	51,625	
<i>Metapenaeus monoceros</i>	1,104	3,938	9,109	0	1,635	878	744	0	1,444	536	6,836	0	365	94	30	9	257	132	4,496	31,607	
<i>Penaeus monodon</i>	0	6,979	7,693	205	377	145	0	149	264	35	705	44	223	0	306	2,441	60	138	972	20,739	
Other crabs	0	0	78	0	0	0	0	0	0	0	0	0	0	105	0	0	0	0	0	182	
<b>Catch (unclassified)</b>	0	0	0	0	0	0	0	0	0	0	496	0	0	0	0	0	0	0	0	496	
<b>Total</b>	<b>7,262</b>	<b>170,108</b>	<b>73,894</b>	<b>5,248</b>	<b>126,371</b>	<b>17,216</b>	<b>4,960</b>	<b>4,237</b>	<b>18,836</b>	<b>2,461</b>	<b>119,908</b>	<b>17,053</b>	<b>8,547</b>	<b>28,279</b>	<b>9,004</b>	<b>30,324</b>	<b>2,018</b>	<b>5,115</b>	<b>150,919</b>	<b>801,760</b>	

Annex 5.2 Landing-center-wise catch &amp; effort statistics (November 2007): catch in kg

Scientific name	Landing Centre															Total				
	Arakha-kuda	Balugaonghat	Baulabandh	Bhusandapur	Boradi	Borokudi	Chandrapur	Gajapatnagar	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi	Nairi	Pathara		Ramba	Sabulia	Sorana	
<b>Fishing days</b>	1,200	3,155	168	1,050	2,796	405	60	918	1,358	1,028	2,830	750	990	1,778	2,118	3,338	705	533	3,215	28,393
<b>Finfish</b>																				
<i>Arius arius</i>	0	2,437	0	138	1,091	140	0	240	8	11	1,427	270	23	0	624	870	15	0	2,687	9,980
<i>Channa punctatus</i>	0	15	0	20	3,494	0	45	17	0	0	2,182	0	0	1,721	37	0	0	0	0	7,530
<i>Channa striatus</i>	0	15	0	0	4,468	0	0	9	0	0	1,707	0	0	765	66	0	0	0	121	7,150
<i>Chanos chanos</i>	0	0	0	0	0	0	0	0	0	0	15	0	0	0	0	9	0	0	0	24
<i>Cirrhana catla</i>	0	223	0	0	1,097	0	0	0	0	0	601	0	0	45	0	0	0	0	106	2,072
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	38	0	0	0	0	0	0	0	0	38
<i>Datinoides</i> spp.	0	30	0	25	1,529	0	0	41	0	0	724	0	0	0	99	34	0	0	287	2,768
<i>Daysiaena albida</i>	84	6,051	0	730	12,550	1,980	75	236	0	4	4,144	23	0	653	2,213	460	0	0	6,644	35,846
<i>Elasmobranchis, Sankucha</i>	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45
<i>Eleutheronema tetradactylus</i>	371	9,677	0	109	1,268	415	0	367	0	0	639	1,238	0	68	659	1,130	0	0	2,347	18,288
<i>Elops machnata</i>	0	8	0	0	0	0	0	0	0	0	0	0	0	0	7	9	0	0	0	23
<i>Etroplus suratensis</i>	0	1,185	0	104	544	0	0	51	56	49	90	3,180	88	180	111	526	69	54	180	6,470
<i>Gerreomorpha</i> spp.	0	989	0	11	112	0	0	64	698	23	181	15	75	0	0	1,029	38	75	1,043	4,352
<i>Hilsa (Tenualosa) ilisha</i>	63	849	0	0	3,526	139	0	60	0	0	1,814	0	0	315	68	179	0	0	6,340	13,352
<i>Hyporhamphus limbatus</i>	0	2,632	0	0	4,899	679	0	173	0	0	1,376	0	0	180	0	0	0	0	8,801	18,739
<i>Labeo rohita</i>	0	595	0	11	1,374	0	0	0	0	0	590	0	0	0	5	0	0	0	61	2,635
<i>Lates calcarifer</i>	187	2,328	0	491	659	70	0	0	0	0	399	68	0	1,571	66	66	0	0	959	6,798
<i>Liza macrolepis</i>	313	636	0	49	1,186	0	0	51	0	0	953	0	0	67	1,146	0	0	0	143	4,543
<i>Liza tade</i>	252	1,725	0	0	455	45	0	195	4,481	249	2,047	780	684	990	60	752	209	296	7,165	20,386
<i>Lujanus</i> sp.	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62
<i>Mastacembelus</i> sp.	0	0	0	0	2,247	0	0	0	0	0	1,414	0	0	990	0	0	0	0	226	4,878

Condit....

Annex 5.2 Landing-center-wise catch &amp; effort statistics (November 2007): catch in kg

Scientific name	Landing Centre																Total			
	Arakha-kuda	Balugaon	Balugaonghat	Baulabandh	Bhusandapur	Boradi	Borokudi	Chandrapur	Gajapatnagar	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi	Nairi	Pathara		Ramba	Sabulia	Sorana
Megalops cyprinoids	0	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	37
Misc. fishes (Fresh w)	0	436	0	162	1,309	0	0	45	0	5,668	0	0	0	5,861	110	83	0	0	2,704	16,378
Misc. fishes (Brackish w)	143	499	0	4	0	0	5	79	17	105	0	53	79	0	45	0	0	0	0	1,029
Mugil cephalus	974	10,332	0	515	4,335	102	0	1,240	4,549	5,907	1,365	1,181	90	1,667	5,798	371	698	9,303	48,852	
Mystus gulio	0	2,589	0	331	1,746	619	420	263	143	1,284	53	124	2,666	566	306	19	4	4,241	15,388	
Nematolosa nasus & A. chacunda	747	8,747	0	189	6,190	3,409	0	835	2,796	6,859	2,115	2,793	473	659	2,417	540	660	31,739	72,526	
Notopterus notopterus	0	893	0	4	9,018	0	0	0	0	3,766	0	0	3,983	5	5	0	0	4,004	21,678	
Oreochromis mossambicus	0	297	0	8	1,138	0	0	0	0	1,224	38	0	1,339	0	31	0	0	113	4,188	
Osteogeneiosus militaries	0	1,395	0	0	291	35	0	0	0	226	0	0	0	0	0	26	0	1,874	3,859	
Other cat fishes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other mullets	1,898	4,240	0	128	90	370	60	287	15	798	0	0	180	92	2,067	0	0	858	11,083	
Pangasius pangasius	0	0	0	0	987	0	495	0	0	151	0	0	0	0	0	0	0	61	1,693	
Plotosus canius	0	4,800	0	740	8,003	70	720	195	90	4,992	765	75	0	3,070	1,758	120	128	4,011	29,537	
Rhabdosargus sarba & Crenidens	457	2,197	0	42	0	0	0	26	0	225	15	124	0	0	565	2	0	673	4,329	
Rhinomugil corsula	0	0	0	0	777	0	0	0	0	316	0	0	158	0	0	0	0	211	1,462	
Silagimids	0	357	0	0	144	0	0	5	0	120	0	0	0	0	31	0	0	444	1,101	
Strongylura strongylura	0	3,180	0	11	2,471	331	0	122	0	799	750	0	113	25	27	0	0	4,090	11,916	
Terapon spp.	0	307	0	4	75	0	0	9	913	279	461	281	113	0	250	252	186	303	3,432	
Thryssa sp. & Stolephorus sp.	645	54,013	0	57	18,028	362	255	227	0	2,961	9,450	0	405	62	7,267	2	0	31,747	125,479	

Contid...

Annex 5.2 Landing-center-wise catch &amp; effort statistics (November 2007): catch in kg

Scientific name	Landing Centre																Total		
	Arakha-kuda	Balugaonghat	Baulabandh	Bhusandapur	Boradi	Borokudi	Chandrapur	Gajapati	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi	Nairi	Pathara	Ramba		Sabulia	Sorana
<i>Triacanthus biaculatus</i>	0	3,067	0	36	580	0	0	223	8	77	0	219	49	0	724	53	2	5,742	10,895
<i>Wallago attu</i>	0	3	0	0	2,456	23	465	0	0	0	624	0	0	315	0	0	0	45	3,931
<b>Crustacea</b>																			
<i>Fenneropenaeus indicus</i>	0	7,206	0	331	217	69	45	19	431	132	428	202	112	0	97	83	53	657	10,590
<i>Macrobrachium malcomsoni</i>	0	79	0	0	1,467	0	0	0	0	0	773	0	0	11	0	0	0	0	2,341
<i>Macrobrachium sp.</i>	0	0	0	0	11,292	0	210	0	0	0	750	0	0	4,590	11	0	0	0	16,853
<i>Metapenaeus dobsoni</i>	0	10,264	0	674	3,059	369	390	0	561	88	10,198	4	32	0	0	8	17	3,947	29,683
<i>Metapenaeus monoceros</i>	2,027	5,401	0	364	1,907	447	435	9	503	255	6,619	4	268	180	92	154	125	4,204	23,097
<i>Penaeus monodon</i>	0	4,111	0	85	419	47	0	149	144	53	685	293	148	0	2,857	48	54	392	9,710
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Catch (unclassified)</b>	0	15	63,504	0	18	0	0	0	0	0	0	0	0	0	0	1	0	0	63,538
<b>Total</b>	<b>8,224</b>	<b>153,904</b>	<b>63,504</b>	<b>5,372</b>	<b>116,515</b>	<b>9,719</b>	<b>3,615</b>	<b>5,162</b>	<b>15,472</b>	<b>3,050</b>	<b>75,820</b>	<b>21,306</b>	<b>6,109</b>	<b>26,460</b>	<b>30,639</b>	<b>2,008</b>	<b>2,351</b>	<b>148,475</b>	<b>710,584</b>

Annex 5.3 Landing-center-wise catch &amp; effort statistics (December 2007): catch in kg

Scientific name	Landing Centre															Total					
	Alupa- tana	Ara- kha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Chan- dra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Path- ara	Ramba	Sabulia	Sorana
Fishing days	62	1,209	3,999	181	868	2,480	434	884	1,333	62	977	2,847	721	1,093	1,798	1,695	2,687	651	388	3,193	27,559
<b>Finfish</b>																					
<i>Arius arius</i>	0	0	2,341	444	241	1,015	288	253	0	0	0	749	109	0	23	326	664	0	0	3,139	9,593
<i>Channa punctatus</i>	0	0	51	0	16	3,650	0	26	0	0	16	1,865	16	4	3,754	157	6	0	0	31	9,591
<i>Channa striatus</i>	0	0	98	52	0	5,131	0	0	0	0	0	2,463	23	0	1,852	0	0	0	0	0	9,619
<i>Chanos chanos</i>	0	0	0	0	0	62	0	0	0	0	0	0	8	0	94	0	15	0	0	0	179
<i>Cirrhana catla</i>	0	0	0	0	0	333	0	0	0	0	0	762	0	0	0	0	0	0	0	0	1,095
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	218	0	0	0	0	0	0	0	0	218
<i>Datinoides spp.</i>	0	0	15	0	12	636	0	12	0	0	0	446	0	0	0	40	36	0	0	357	1,552
<i>Daysciaena albida</i>	0	42	5,658	196	305	8,843	2,800	165	0	31	0	11,497	16	0	523	693	241	0	4	8,463	39,477
<i>Elasmobranchs, Sankucha</i>	0	0	0	388	0	217	0	0	0	0	0	0	0	0	0	0	0	0	0	0	605
<i>Eleutheronema tetradactylus</i>	0	0	2,169	2,289	0	1,604	397	163	0	103	16	2,046	225	0	245	59	352	0	0	3,325	12,993
<i>Elops machnata</i>	0	0	8	16	0	0	0	0	0	0	0	0	0	0	0	0	21	0	0	0	44
<i>Etroplus suratensis</i>	0	0	266	0	128	0	0	74	4	0	0	62	488	0	0	144	371	0	17	667	2,221
<i>Gerreomorpha spp.</i>	0	0	151	868	5	0	0	35	380	0	6	171	256	254	0	0	91	101	0	109	2,425
<i>Hilsa (Tenulosa) ilisha</i>	0	648	1,846	196	11	1,868	544	198	0	0	0	3,789	0	0	0	29	631	0	0	5,859	15,620
<i>Hyporhamphus limbatus</i>	0	0	2,740	0	23	5,348	0	0	0	0	0	2,006	0	0	512	185	14	0	0	6,789	17,617
<i>Labeo rohita</i>	0	0	507	0	0	1,155	0	0	0	0	0	1,214	0	0	94	0	0	0	0	47	3,016
<i>Lates calcarifer</i>	0	278	2,504	1,163	158	527	0	0	0	0	0	16	116	0	0	4,398	443	0	0	930	10,532
<i>Liza macrolepis</i>	0	165	167	155	12	2,046	0	0	0	196	0	1,163	140	0	0	53	166	0	0	822	5,084

Contd...

Annex 5.3 Landing-center-wise catch &amp; effort statistics (December 2007): catch in kg

Scientific name	Landing Centre															Total					
	Alupa- tana	Ara- kha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Chan- dra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Path- ara	Ramba	Sabulia	Sorana
<i>Liza tade</i>	0	0	4,783	2,444	9	496	431	302	3,767	672	261	5,519	508	152	725	46	148	194	112	19,499	40,067
<i>Lutjanus sp.</i>	0	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
<i>Mastacembealus sp.</i>	0	0	0	0	7	767	0	0	0	0	0	296	0	0	549	19	0	0	0	0	1,638
<i>Megalops cyprinoids</i>	0	0	1,962	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	1,964
Misc. fishes (Fresh w)	0	59	235	145	84	1,108	0	0	2	0	2	4,016	0	0	5,521	83	24	0	0	1,860	13,138
Misc. fishes (Brackish w)	0	159	230	41	71	62	0	0	0	0	0	0	0	0	94	6	21	0	0	0	684
<i>Mugil cephalus</i>	0	853	11,838	5,229	591	6,231	477	477	2,682	2,077	225	5,422	643	457	93	1,470	1,971	205	562	8,502	50,004
<i>Mystus gulio</i>	0	0	1,987	207	156	961	1,618	149	26	83	14	2,094	147	71	1,324	530	182	0	16	4,069	13,630
<i>Nematolosa nasus</i> & <i>A. chacunda</i>	0	2,515	17,460	3,364	98	9,936	1,655	1,053	3,518	217	1,471	17,234	2,565	1,882	488	627	4,256	965	1,033	89,187	159,523
<i>Notopterus notopterus</i>	0	0	226	0	21	6,921	0	0	0	0	0	4,699	0	0	2,110	39	0	0	0	1,318	15,333
<i>Oreochromis mossambicus</i>	0	0	396	0	0	512	0	7	4	0	0	878	23	0	1,374	33	793	0	0	16	4,036
<i>Osteogeneiosus militaries</i>	0	0	1,066	0	0	388	0	0	0	114	45	279	50	0	0	0	0	184	47	2,248	4,420
Other cat fishes	0	0	0	0	0	225	0	0	0	0	0	0	0	0	116	0	0	0	0	0	341
Other mullets	0	603	1,179	1,715	39	202	123	93	473	1,757	6	496	31	0	233	23	134	0	0	1,132	8,239
<i>Pangasius pangasius</i>	0	0	0	0	0	574	0	0	0	0	0	70	0	0	35	0	0	0	0	0	679
<i>Plotosus canius</i>	0	0	6,227	1,886	298	5,154	29	395	343	155	74	8,056	775	1,153	0	1,104	1,671	81	233	5,557	33,189
<i>Rhabdosargus sarba</i> & <i>Crenidens</i>	0	0	1,351	1,798	18	0	31	0	16	0	8	0	0	35	0	6	71	0	62	271	3,666
<i>Rhinomugil corsula</i>	0	0	0	0	0	1,178	0	0	0	0	0	343	0	0	0	0	0	0	0	481	2,001
<i>Silagimids</i>	0	39	0	171	0	93	0	12	0	0	0	24	0	0	0	0	0	0	0	341	679

Contid...

Annex 5.3 Landing-center-wise catch &amp; effort statistics (December 2007): catch in kg

Scientific name	Landing Centre																	Total			
	Alupa- tana	Ara- kha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Chan- dra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi	Nairi	Path- ara		Ramba	Sabulia	Sorana
<i>Strongylura strongylura</i>	0	0	3,558	0	5	3,627	0	0	3	0	0	864	78	0	233	185	6	0	0	4,100	12,658
<i>Terapon spp.</i>	0	0	166	21	0	0	0	0	441	0	345	822	791	647	0	0	154	109	4	0	3,499
<i>Thryssa sp. &amp; Stolephorus sp.</i>	0	85	108,384	181	7	21,863	44	233	0	83	0	4,548	5,177	0	372	104	11,783	16	194	19,639	172,710
<i>Triacanthus biaculatus</i>	0	0	2,610	0	76	78	115	465	31	0	169	0	209	198	0	68	626	105	236	2,651	7,635
<i>Wallago attu</i>	0	0	135	0	34	1,209	0	0	0	0	0	576	16	8	671	7	0	0	0	62	2,717
<b>Crustacea</b>																					
<i>Fenneropenaeus indicus</i>	0	0	534	801	0	186	41	0	45	0	31	280	27	27	0	0	0	4	13	209	2,198
<i>Macrobrachium malcomsoni</i>	0	0	0	0	9	372	0	0	0	0	0	515	0	0	47	0	0	0	0	23	966
<i>Macrobrachium sp.</i>	0	0	0	0	0	9,347	0	0	0	0	0	3,856	0	0	5,675	0	0	0	0	0	18,877
<i>Metapenaeus dobsoni</i>	351	0	12,828	12,354	23	1,039	435	0	360	0	6	11,773	0	4	0	0	8	8	0	5,131	44,319
<i>Metapenaeus monoceros</i>	1,581	2,094	3,154	4,397	23	1,039	284	0	371	0	116	4,120	0	59	0	12	49	33	23	3,387	20,741
<i>Penaeus monodon</i>	0	0	2,632	6,427	59	357	86	77	43	0	12	491	90	39	0	81	1,065	40	83	736	12,318
<b>Catch (unclassified)</b>	0	0	0	0	0	0	4,593	0	0	0	0	0	0	0	0	0	15	0	0	0	4,609
<b>Total</b>	<b>1,932</b>	<b>7,540</b>	<b>201,460</b>	<b>46,944</b>	<b>2,539</b>	<b>106,369</b>	<b>13,990</b>	<b>4,187</b>	<b>12,508</b>	<b>5,487</b>	<b>2,820</b>	<b>105,737</b>	<b>12,525</b>	<b>4,989</b>	<b>26,756</b>	<b>10,529</b>	<b>26,029</b>	<b>2,044</b>	<b>2,638</b>	<b>200,950</b>	<b>797,973</b>

Annex 5.4 Landing-center-wise catch &amp; effort statistics (January 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chan- dra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	31	1,023	3,307	155	899	2,926	506	186	860	1,418	31	984	3,185	822	938	1,775	1,401	2,108	721	512	2,501	26,289
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	2,155	0	0	1,111	326	0	86	0	0	5	349	62	0	93	95	391	0	4	2,185	6,860
<i>Channa punctatus</i>	0	0	95	0	180	4,545	0	0	28	0	0	0	2,697	0	0	6,735	53	35	0	0	38	14,407
<i>Channa striatus</i>	0	0	8	0	87	6,699	0	54	0	0	0	0	3,871	0	0	1,705	7	0	0	0	57	12,487
<i>Cirrhana catla</i>	0	0	0	0	0	1,981	0	0	0	0	0	0	1,569	0	0	116	0	0	0	0	0	3,667
<i>Cirrhana mrigala</i>	0	0	335	0	0	149	0	0	0	0	0	0	0	0	0	186	0	0	0	0	0	670
<i>Danainoides spp.</i>	0	143	49	0	25	765	0	0	37	0	0	0	488	0	0	0	45	0	0	0	503	2,055
<i>Daysciaena albida</i>	0	115	2,744	0	29	10,479	2,618	93	77	0	0	0	4,569	0	0	302	306	216	17	0	11,082	32,646
<i>Elasmobranchs, Sankucha</i>	0	0	185	0	0	0	0	0	0	8	0	66	0	0	16	0	0	0	0	0	0	274
<i>Eleutheronema tetradactylus</i>	0	401	1,671	0	0	4,831	394	0	91	0	109	0	1,360	513	0	47	56	572	0	8	4,475	14,528
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Etroplus suratensis</i>	0	0	402	0	76	130	0	0	33	0	0	2	302	31	0	0	167	160	0	0	984	2,287
<i>Gerreomorpha spp.</i>	0	0	479	0	0	0	0	0	0	603	0	89	0	112	85	0	0	155	16	22	0	1,560
<i>Hilsa (Tenuulosa) ilisha</i>	0	115	707	0	0	2,624	302	0	14	0	0	0	349	0	0	0	28	0	0	0	2,014	6,153
<i>Hyporhamphus limbatus</i>	0	0	4,615	0	0	3,693	75	0	0	0	0	0	1,418	0	0	0	37	0	0	0	4,206	14,045
<i>Labeo rohita</i>	0	0	0	0	0	1,994	0	0	0	0	0	0	1,232	0	0	270	0	0	0	0	28	3,525
<i>Lates calcarifer</i>	0	0	0	0	2,581	429	25	0	0	0	0	0	186	8	0	0	1,794	1,114	0	0	506	6,643
<i>Liza macrolepis</i>	0	0	15	0	0	223	47	0	0	0	93	0	47	0	0	0	19	17	0	0	428	888

Contd...

Annex 5.4 Landing-center-wise catch &amp; effort statistics (January 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chan-dra-put	Gaja-pati-nagar	Ganga-dhar-pur	Gour-anga-patna	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Liza tade	0	0	3,621	0	0	1,537	1,434	23	384	2,246	419	267	6,650	1,391	244	700	56	332	128	48	12,294	31,771
Lutjanus sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mastacem-bealus sp.	0	0	0	0	0	1,657	0	0	0	0	0	0	860	0	0	1,005	0	0	0	0	0	3,522
Misc. fishes (Fresh w)	0	0	120	0	85	2,389	0	0	56	0	0	0	4,662	0	0	4,470	15	0	0	0	2,694	14,490
Misc. fishes (Brackish w)	0	0	392	0	45	0	0	0	2	0	0	0	0	0	0	0	36	0	0	0	0	476
Mugil cephalus	0	277	5,345	0	86	2,655	436	23	221	1,192	1,132	95	2,302	256	112	70	467	2,519	97	217	5,319	22,820
Mystus gulio	0	0	2,256	0	209	1,502	1,613	566	163	120	202	0	5,673	66	12	1,691	344	175	25	39	7,032	21,687
Nematolosa nasus & A. chacunda	0	877	12,828	0	196	5,729	2,438	0	1,100	6,109	0	1,319	15,984	2,792	1,374	419	475	2,810	805	510	44,882	100,646
Notopterus notopterus	0	0	9	0	48	9,520	0	23	21	0	0	0	1,302	0	0	1,669	0	0	0	0	2,279	14,872
Oreochromis mossambicus	0	0	43	0	0	186	0	0	0	0	0	0	546	0	0	117	4	1,328	0	0	242	2,465
Osteogeneiosus militaries	0	172	264	0	0	307	0	0	0	47	124	6	163	39	0	0	0	0	56	2	748	1,927
Other mullets	0	634	560	0	19	354	284	0	44	39	1,023	0	977	0	0	93	53	110	0	0	701	4,890
Pangasius pangasius	0	0	0	0	0	56	0	736	0	0	0	0	0	0	0	0	0	0	0	0	37	829
Plotosus canius	0	0	4,673	0	212	5,663	279	566	314	907	465	79	8,231	199	1,666	0	519	1,553	205	143	6,912	32,585
Rhabdosargus sarba & Crendens	0	0	895	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	907
Rhinomugil corsula	0	0	0	0	0	625	0	0	0	0	0	0	1,151	0	0	59	0	0	0	0	1,127	2,962
Silaginids	0	0	31	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	74	110
Strongylura strongylura	0	0	5,278	0	0	2,470	60	0	12	0	0	2	814	0	0	23	28	53	0	54	2,254	11,047

Contid...

Annex 5.4 Landing-center-wise catch &amp; effort statistics (January 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chan-dra-put	Gaja-pati-nagar	Ganga-dhar-pur	Gour-anga-patna	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Terapon spp.	0	0	246	0	0	0	0	0	0	914	0	470	0	647	341	0	0	0	138	124	0	2,880
Thryssa sp. & Stolephorus sp.	0	0	33,215	0	47	22,942	411	70	58	0	0	0	1,418	2,751	0	163	154	11,230	0	295	10,433	83,187
Triacanthus biaculatus	0	0	662	0	0	93	145	0	72	4	0	64	0	271	89	0	106	584	114	114	1,072	3,391
Wallago attu	0	0	0	0	0	2,814	0	0	0	0	0	0	0	0	0	419	0	0	0	0	132	3,364
<b>Crustacea</b>																						
Fenneropenaeus indicus	0	0	0	0	0	0	0	0	0	0	0	11	70	0	0	0	0	100	0	0	0	180
Macrobrachium malcomsoni	0	0	0	0	0	205	0	0	0	0	0	0	558	0	0	0	0	0	0	0	0	763
Macrobrachium sp.	0	0	0	0	0	14,179	0	535	0	0	0	0	3,987	0	0	8,845	0	0	0	0	0	27,546
Metapenaeus dobsoni	0	0	30,206	0	116	3,317	2,463	388	81	598	0	44	44,198	0	81	0	704	528	31	41	9,506	92,303
Metapenaeus monoceros	0	2,447	4,582	0	47	410	595	11	16	1,159	0	103	5,034	4	176	0	28	86	95	35	3,428	18,256
Penaeus monodon	0	0	2,276	0	14	344	239	0	49	17	0	3	2,058	57	8	0	57	298	29	7	2,255	7,710
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	150	150
<b>Catch (unclassified)</b>	2,480	1,620	1,721	46,950	0	791	0	31	0	0	0	0	0	0	0	0	0	39	0	0	909	54,541
<b>Total</b>	<b>2,480</b>	<b>6,803</b>	<b>122,682</b>	<b>46,950</b>	<b>4,101</b>	<b>119,397</b>	<b>14,184</b>	<b>3,119</b>	<b>2,962</b>	<b>13,959</b>	<b>3,565</b>	<b>2,626</b>	<b>125,073</b>	<b>9,200</b>	<b>4,204</b>	<b>29,196</b>	<b>5,666</b>	<b>24,405</b>	<b>1,757</b>	<b>1,662</b>	<b>140,983</b>	<b>684,972</b>

Annex 5.5 Landing-center-wise catch &amp; effort statistics (February 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Mian- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	58	1,189	3,108	145	921	2,646	580	29	812	1,356	29	848	3,248	689	805	1,936	1,479	2,697	776	450	3,224	27,023
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,284	162	13	939	174	0	44	0	0	0	1,340	0	0	22	293	1,086	0	7	1,596	6,960
<i>Channa punctatus</i>	0	0	95	0	58	3,640	0	0	10	0	0	0	1,697	0	0	1,675	261	41	0	0	424	7,903
<i>Channa striatus</i>	0	0	159	0	11	4,398	0	73	0	0	0	0	2,252	0	0	870	95	0	0	0	110	7,967
<i>Chanos chanos</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cirrhana catla</i>	0	0	145	0	0	2,765	0	0	0	0	0	0	2,683	0	0	33	4	0	0	0	0	5,630
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0	0	0	0	0	0	73
<i>Datinoides spp.</i>	0	0	50	0	40	657	218	0	14	0	0	0	852	44	0	0	65	63	0	0	583	2,585
<i>Daysciaena albida</i>	0	0	961	46	83	8,926	2,509	0	51	0	174	7	4,792	36	0	392	254	591	0	0	0	29,137
<i>Elasmobranchs, Sankucha</i>	0	0	0	406	0	0	0	0	0	0	0	0	0	0	181	0	0	0	0	0	0	587
<i>Eleutheronema tetradactylus</i>	0	0	1,708	1,554	0	4,903	659	0	9	0	0	0	3,129	1,345	0	0	6	168	0	0	4,063	17,544
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Etroplus suratensis</i>	0	0	514	35	38	176	0	0	0	0	0	0	483	44	0	0	190	197	0	0	955	2,631
<i>Gerreomorpha spp.</i>	0	0	533	122	0	0	0	0	0	431	0	0	0	141	0	0	0	403	15	15	628	2,287
<i>Hilsa (Tenuulosa) ilisha</i>	0	0	322	75	0	1,158	87	0	0	0	0	0	247	0	0	0	0	183	0	0	1,652	3,724
<i>Hyporhamphus limbatus</i>	0	0	3,859	0	11	4,550	157	0	0	0	0	0	2,794	0	0	0	50	0	0	0	6,195	17,617
<i>Labeo rohita</i>	0	0	73	0	0	950	0	0	0	0	0	0	1,491	0	0	76	0	0	0	0	160	2,749
<i>Lates calcarifer</i>	0	0	1,331	1,450	2,647	0	0	0	2,469	0	0	0	66	0	0	0	2,904	218	0	0	292	11,377
<i>Liza macrolepis</i>	0	87	165	58	0	372	0	0	0	0	160	0	0	0	0	0	43	621	0	0	87	1,592

Contid...

Annex 5.5 Landing-center-wise catch &amp; effort statistics (February 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Cour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
Liza tade	0	122	3,642	1,885	47	308	833	0	196	2,538	290	242	1,414	482	189	65	20	1,356	170	161	6,801	20,760	
Luijanus sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Mastacembealus sp.	0	0	0	0	0	1,126	0	0	0	0	0	0	298	0	0	522	9	0	0	0	0	139	2,093
Misc. fishes (Fresh w)	0	0	19	0	105	1,400	0	0	0	0	0	0	4,116	0	0	1,762	50	0	0	15	2,371	9,838	
Misc. fishes (Brackish w)	0	1,076	130	12	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	0	1,223	
Mugil cephalus	0	116	4,219	1,230	47	2,119	131	0	159	511	827	58	1,094	286	54	0	506	3,704	47	123	2,503	17,733	
Mystus gulio	0	0	5,399	133	191	9,038	4,592	73	72	276	247	0	6,902	236	65	16,780	1,332	1,779	169	22	6,074	53,380	
Nematolosa nasus & A. chacunda	0	1,221	10,146	2,384	117	4,576	1,123	0	692	3,701	0	598	2,373	2,327	895	0	4	6,521	493	540	23,235	60,947	
Notopterus notopterus	0	0	148	0	0	6,673	0	0	0	0	0	0	5,349	0	0	881	496	0	0	0	4,794	18,340	
Oreochromis mossambicus	0	0	72	0	0	0	0	0	0	0	0	0	22	0	0	294	7	83	0	0	58	535	
Osteogeneiosus militares	0	116	334	0	0	174	0	0	0	22	0	7	0	58	11	0	0	0	27	7	1,032	1,788	
Other mullets	0	235	463	609	0	87	0	73	0	22	870	0	139	4	0	0	186	786	0	0	744	4,217	
Pangasius pangasius	0	0	73	0	0	0	0	435	0	0	0	0	210	0	0	22	0	0	0	0	29	769	
Plotosus camius	0	0	5,271	876	311	5,951	348	435	120	239	0	102	4,824	210	1,399	348	1,214	1,486	73	149	6,632	29,986	
Rhabdosargus sarba & Crenidens	0	0	709	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	125	945	
Rhinomugil corsula	0	0	0	0	0	458	0	0	0	0	0	0	124	0	0	0	0	0	0	0	752	1,334	
Silaginids	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	
Strongylura strongylura	0	0	6,692	0	76	2,733	205	0	0	0	0	0	1,240	0	0	87	32	8	0	0	2,087	13,161	

Contid...

Annex 5.5 Landing-center-wise catch &amp; effort statistics (February 2008): catch in kg

Scientific name	Landing Centre															Total							
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gajja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur		Man- gala- jodi	Nairi	Pathara	Ramba	Sabulia	Sorana	
Terapon spp.	0	0	0	0	0	0	0	0	0	219	0	138	0	790	109	0	0	22	33	138	146	1,594	
Thryssa sp. & Stolephorus sp.	0	487	44,188	29	0	13,945	236	0	356	15	160	0	1,821	3,002	36	44	29	12,805	15	0	27,892	105,058	
Triacanthus biaculatus	0	0	1,088	0	45	218	261	0	45	0	0	62	0	580	69	0	247	970	114	31	2,936	6,665	
Wallago attu	0	0	332	0	0	2,177	0	145	0	0	0	0	349	0	0	131	0	0	0	0	131	3,265	
<b>Crustacea</b>																							
Fenneropenaeus indicus	0	0	94	284	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	378
Macrobrachium malcomsoni	0	0	0	0	0	131	0	0	0	0	0	0	822	0	0	0	0	0	0	0	0	0	953
Macrobrachium sp.	0	0	0	0	0	11,455	0	160	0	0	0	0	5,131	0	0	3,404	0	0	0	0	0	263	20,413
Metapenaeus dobsoni	2,223	1,146	48,265	14,430	0	5,986	1,734	363	44	1,753	0	647	55,911	87	305	0	171	917	1,033	56	9,843	144,911	
Metapenaeus monoceros	870	4,085	7,994	6,867	15	864	444	261	11	866	0	246	7,682	4	152	0	35	206	141	20	2,840	33,604	
Penaeus monodon	0	0	3,976	6,003	9	776	440	0	19	13	0	17	8,606	41	0	98	38	1,035	6	7	3,093	24,176	
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Catch (unclassified)</b>	0	0	0	0	11	0	0	0	0	0	0	0	139	0	0	131	0	0	0	0	0	0	280
<b>Total</b>	<b>3,093</b>	<b>8,690</b>	<b>154,454</b>	<b>38,773</b>	<b>3,873</b>	<b>103,629</b>	<b>14,150</b>	<b>2,016</b>	<b>4,309</b>	<b>10,606</b>	<b>2,726</b>	<b>2,123</b>	<b>130,466</b>	<b>9,716</b>	<b>3,466</b>	<b>27,633</b>	<b>8,545</b>	<b>35,249</b>	<b>2,335</b>	<b>1,290</b>	<b>131,579</b>	<b>698,719</b>	

Annex 5.6 Landing-center-wise catch &amp; effort statistics (March 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chan- dra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	124	1,261	2,895	155	837	3,648	868	62	775	1,465	20	1,225	4,614	783	1,279	2,007	1,638	2,573	961	519	4,443	32,151
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,517	725	101	723	47	0	279	0	0	0	574	109	0	0	220	950	0	23	1,570	6,837
<i>Channa punctatus</i>	0	0	31	0	21	1,754	0	0	41	0	0	0	1,334	0	0	455	204	21	0	0	318	4,180
<i>Channa striatus</i>	0	0	74	0	41	4,335	0	62	0	0	0	0	2,424	0	0	698	307	0	0	0	93	8,034
<i>Chanos chanos</i>	0	0	0	74	0	0	0	0	0	0	0	0	148	0	0	0	30	6	0	0	0	258
<i>Cirrhana catla</i>	0	0	0	0	0	1,330	0	0	0	0	0	0	4,019	0	0	0	0	0	0	0	0	5,349
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	1,199	0	0	0	0	0	0	0	31	1,231
<i>Datinoides spp.</i>	0	0	100	0	82	1,498	93	0	23	0	0	0	1,101	0	0	546	108	89	0	8	1,757	5,404
<i>Daysciaena albida</i>	0	59	745	0	35	17,968	3,313	0	197	0	0	0	8,720	0	0	721	145	357	0	0	14,453	46,712
<i>Elasmobranchs, Sankucha</i>	0	0	1,080	806	0	0	0	0	0	0	0	0	219	0	0	0	47	0	0	0	0	2,151
<i>Eleutheronema tetradactylus</i>	0	0	2,393	986	0	7,975	745	0	0	0	0	0	2,809	1,542	0	199	50	44	0	10	9,605	26,358
<i>Elops machnata</i>	0	0	0	37	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	43
<i>Etroplus suratensis</i>	0	0	502	0	136	94	0	0	70	0	0	0	123	16	4	0	179	374	47	12	1,104	2,660
<i>Gerreomorpha spp.</i>	0	0	192	25	0	155	0	0	9	469	0	0	147	337	4	0	0	486	16	78	5,451	7,368
<i>Hilsa (Teratalosa) ilisha</i>	0	0	318	174	0	72	0	0	138	0	0	0	62	0	0	0	0	430	0	0	389	1,582
<i>Hyporhamphus limbatus</i>	0	0	7,049	0	57	11,397	819	0	0	0	0	0	6,513	0	0	0	75	136	0	0	8,011	34,056
<i>Labeo rohita</i>	0	0	0	0	0	953	0	0	0	0	0	0	1,404	0	0	0	0	0	0	0	31	2,388
<i>Lates calcarifer</i>	0	0	0	1,190	0	0	0	0	0	0	0	0	0	0	0	0	0	1,815	0	0	0	3,006
<i>Liza macrolepis</i>	0	303	279	0	0	78	0	0	0	0	0	0	0	0	0	0	36	15	0	0	109	819

Contd...

Annex 5.6 Landing-center-wise catch &amp; effort statistics (March 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Char- dra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Liza tade	0	0	3,051	2,455	5	890	635	0	47	1,651	0	163	962	831	767	199	0	99	93	141	5,629	17,618
Mastacembealus sp.	0	0	9	0	44	1,507	0	0	0	0	0	0	980	0	0	233	70	0	0	0	420	3,262
Megalops cyprinoids	0	0	0	0	0	0	0	0	0	0	0	0	310	0	12	0	0	0	0	0	0	322
Misc. fishes (Fresh w)	0	0	258	81	383	1,996	0	0	0	12	0	8	5,910	0	8	1,447	211	29	0	0	5,040	15,381
Misc. fishes (Brackish w)	0	0	112	19	0	0	0	0	0	0	0	0	0	155	0	0	0	0	0	4	233	522
Mugil cephalus	0	230	4,170	1,507	53	1,311	189	0	89	453	0	27	691	357	209	0	543	2,912	140	143	1,453	14,476
Mystus gulio	0	0	3,654	992	235	64,818	6,001	946	159	298	0	0	25,723	16	275	129,129	1,729	2,438	12	8	25,357	261,789
Nematolosa narus & A. chacunda	0	302	5,972	2,951	47	7,515	1,157	0	684	2,984	0	804	2,596	2,251	1,209	349	204	3,119	572	792	30,263	63,770
Notopterus notopterus	0	0	230	0	7	6,658	0	78	0	0	0	0	14,086	0	0	385	228	0	0	0	9,286	30,957
Oreochromis mossambicus	0	0	0	0	0	0	0	0	0	0	0	0	31	0	0	0	0	110	0	0	403	544
Osteogeneiosus militaries	0	0	18	0	0	419	0	0	0	0	0	0	281	16	0	0	0	5	0	0	389	1,127
Other mullets	0	240	230	167	9	140	328	0	0	233	0	0	308	0	0	0	27	95	0	0	2,617	4,393
Pangasius pangasius	0	0	0	0	0	0	0	698	0	0	0	0	0	0	0	0	0	0	0	0	31	729
Plotosus canius	0	0	8,280	2,145	1,495	9,620	93	279	273	1,033	0	124	6,287	101	3,050	724	1,670	2,234	66	217	8,329	46,021
Rhabdosargus sarba & Crenidens	0	0	184	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,770	1,954
Rhinomugil corsula	0	0	0	0	0	829	0	0	0	0	0	0	448	0	0	47	0	0	0	0	451	1,775

Contid....

Annex 5.6 Landing-center-wise catch &amp; effort statistics (March 2008): catch in kg

Scientific name	Landing Centre															Total							
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Bala- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chan- dra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur		Man- gala- jodi	Nairi	Pathara	Ramba	Sabulia	Sorana	
Silaginids	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	125	129
Strongylura strongylura	0	0	8,757	0	57	3,043	210	0	0	16	0	0	2,183	39	0	0	418	473	0	4	3,385	18,585	
Terapon spp.	0	456	9	0	0	0	0	0	0	589	0	316	0	457	326	0	0	15	147	222	264	2,801	
Thryssa sp. & Stolephorus sp.	0	0	22,580	74	27	27,406	570	0	411	16	0	0	2,273	7,638	0	0	67	3,990	0	0	12,602	77,654	
Triacanthus biaculatus	0	0	1,395	0	241	420	281	0	134	29	0	231	186	151	132	0	552	848	118	320	2,528	7,565	
Wallago attu	0	0	0	0	0	3,769	0	124	0	0	0	0	549	0	0	47	0	0	0	0	47	4,535	
<b>Crustacea</b>																							
Femmeropenaeus indicus	0	0	1,165	2,114	0	288	141	0	0	601	0	277	745	0	146	0	0	0	472	2	892	6,844	
Macrobrachium malcomsoni	0	0	0	0	0	496	0	0	0	0	0	0	1,148	0	0	12	0	0	0	0	8	1,664	
Macrobrachium sp.	0	0	0	0	0	16,194	0	496	0	0	0	0	7,162	0	0	1,897	0	0	0	0	1,178	26,928	
Metapenaeus dobsoni	0	479	69,955	29,456	261	13,183	4,478	589	0	2,075	0	1,828	97,550	0	969	0	614	701	1,233	235	34,897	258,505	
Metapenaeus monoceros	0	7,325	12,653	10,844	67	1,553	1,803	574	0	1,052	0	705	20,722	0	399	0	11	108	312	23	8,831	66,982	
Penaeus monodon	0	0	3,400	9,052	49	1,981	3,333	0	55	59	0	29	16,631	98	19	374	160	1,725	159	21	8,279	45,424	
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	31	0	0	0	0	0	0	0	0	31	
<b>Catch (unclassified)</b>	9,972	0	1,135	0	0	894	0	0	0	0	2,350	0	116	0	0	0	0	15	0	0	31	14,513	
<b>Total</b>	9,972	9,394	161,499	65,875	3,453	213,259	24,236	3,844	2,608	11,573	2,350	4,511	238,705	14,112	7,528	137,461	7,903	23,645	3,387	2,262	207,659	1,155,234	

Annex 5.7 Landing-center-wise catch &amp; effort statistics (April 2008): catch in kg

Scientific name	Landing Centre															Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur		Man- gala- jodi	Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	30	1,210	3,324	168	803	3,263	758	60	780	1,598	30	1,223	4,800	638	945	1,965	2,330	2,445	900	465	4,490	32,222
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	944	666	219	945	0	0	122	0	0	0	443	75	0	0	527	830	0	0	1,322	6,093
<i>Channa punctatus</i>	0	0	99	0	51	844	0	0	19	0	0	0	345	0	0	169	539	9	0	0	0	2,074
<i>Channa striatus</i>	0	0	341	0	0	4,129	0	0	0	0	0	0	1,163	0	0	451	406	0	0	0	30	6,519
<i>Chanos chanos</i>	0	0	0	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
<i>Cirrhana catla</i>	0	0	0	0	0	608	0	0	0	0	0	0	105	0	0	0	0	0	0	0	0	713
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Datinoides</i> spp.	0	0	317	0	83	1,991	203	0	51	0	0	0	555	0	0	328	676	24	0	0	1,253	5,481
<i>Daysciaena albida</i>	0	0	2,559	162	100	9,383	3,450	75	94	0	0	0	9,150	15	0	743	621	105	0	0	19,488	45,945
<i>Elasmobranchs, Sankucha</i>	0	0	411	1,050	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,461
<i>Eleutheronema tetradactylus</i>	0	0	7,019	1,554	0	3,848	1,342	0	10	0	0	0	4,688	930	0	90	0	269	0	0	6,879	26,628
<i>Elops machinata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	20
<i>Etroplus suratensis</i>	0	0	741	0	201	180	0	0	45	0	0	53	15	0	0	0	403	449	15	0	240	2,342
<i>Gerreomorpha</i> spp.	0	0	310	762	11	0	94	0	11	544	0	60	1,380	578	19	0	29	272	4	146	3,495	7,713
<i>Hilsa (Tenualosa) ilisha</i>	0	43	0	162	0	45	113	0	87	0	0	0	405	0	0	68	0	61	0	0	346	1,329
<i>Hyporhamphus limbatus</i>	0	0	8,521	0	0	7,718	847	0	0	0	0	0	6,795	0	0	0	104	0	0	0	6,524	30,508
<i>Labeo rohita</i>	0	0	0	0	0	608	0	0	0	0	0	0	900	0	0	0	22	0	0	0	0	1,529
<i>Lates calcarifer</i>	0	0	2,267	834	0	518	0	0	0	0	0	0	75	0	0	0	59	0	0	0	330	4,082

Contd...

Annex 5.7 Landing-center-wise catch &amp; effort statistics (April 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chandra-put	Gaja-pati-nagar	Ganga-dhar-pur	Gour-anga-patna	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Padhara	Ramba	Sabulia	Sorana	
<i>Liza macrolepis</i>	0	114	36	18	0	68	0	0	0	0	0	0	15	0	0	0	0	0	0	0	0	0	250
<i>Liza tade</i>	0	120	1,862	2,616	0	383	87	0	201	2,329	300	259	375	570	435	137	26	53	358	71	2,088	12,268	
<i>Lutjanus sp.</i>	0	0	108	0	0	0	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	123	
<i>Mastacem-bealus sp.</i>	0	0	324	0	7	1,361	0	0	0	0	0	0	1,170	0	0	136	558	0	0	0	420	3,976	
Misc. fishes (Fresh w)	0	683	288	120	113	1,508	0	0	68	0	0	0	6,705	0	0	1,118	940	0	0	0	4,716	16,257	
Misc. fishes (Brackish w)	0	516	43	8,448	18	45	0	0	0	0	2	0	60	0	825	0	0	0	0	0	0	9,957	
<i>Mugil cephalus</i>	0	613	1,996	1,836	112	1,058	45	0	360	1,091	1,650	221	525	615	251	0	474	1,967	210	334	1,141	14,497	
<i>Mystus gulio</i>	0	0	1,669	1,350	167	25,335	4,874	630	285	274	0	11	33,368	64	173	39,215	1,093	1,350	0	0	12,793	122,650	
<i>Nematolosa nasus</i> & <i>A. chacunda</i>	0	568	4,137	1,548	131	8,933	1,525	0	861	4,283	285	881	8,010	5,340	923	653	134	1,616	894	668	55,506	96,893	
<i>Notopterus notopterus</i>	0	0	9	0	0	7,211	0	0	0	0	0	0	8,115	0	0	642	467	0	0	0	12,589	29,033	
<i>Oreochromis mossambicus</i>	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	0	0	30	
<i>Osteogeneiosus militaries</i>	0	0	0	0	0	450	0	0	0	0	0	0	75	0	0	0	0	0	0	0	0	525	
Other mullets	0	481	88	762	0	158	45	0	11	188	1,125	0	90	0	0	91	3	9	0	0	1,262	4,311	
<i>Pangasius pangasius</i>	0	0	0	0	0	0	0	300	0	0	0	0	0	0	0	0	0	0	0	0	45	345	
<i>Plotosus canius</i>	0	0	6,788	2,322	683	10,024	158	105	360	836	0	116	4,020	143	518	407	3,223	1,456	60	146	6,701	38,065	
<i>Rhabdosargus sarba</i> & <i>Crenidens</i>	0	38	126	240	0	225	0	0	0	0	0	0	420	0	0	0	0	44	0	0	18,804	19,897	
<i>Rhinomugil corsula</i>	0	0	0	0	0	203	0	0	0	0	0	0	38	0	0	90	0	0	0	0	286	616	

Contd....

Annex 5.7 Landing-center-wise catch &amp; effort statistics (April 2008): catch in kg

Scientific name	Landing Centre															Total								
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur		Man- gala- jodi	Nairi	Pathara	Ramba	Sabulia	Sorana		
Silagimids	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	0	44	0	0	0	105	159	
Strongylura strongylura	0	0	10,281	24	22	3,015	128	0	0	8	0	0	1,973	0	38	23	268	11	0	0	15	2,027	17,831	
Terapon spp.	0	0	0	72	0	0	0	0	0	529	0	163	143	788	41	0	0	203	206	94	240	2,478		
Thryssa sp. & Stolephorus sp.	0	240	23,067	252	87	23,603	330	225	112	15	0	0	4,808	3,563	300	0	75	2,783	0	45	16,211	75,714		
Triacanthus biaculatus	0	0	3,488	0	187	135	318	0	169	38	0	168	240	188	188	0	2,516	2,246	165	137	3,045	13,226		
Wallago attu	0	0	0	0	0	3,443	0	225	0	0	0	0	255	0	0	0	45	0	0	0	120	4,088		
<b>Crustacea</b>																								
Femeropeaeus indicus	0	0	13,198	7,782	2	540	2,022	0	0	625	0	406	9,308	0	217	0	9	43	428	159	7,575	42,313		
Macrobrachium malcomsoni	0	0	72	0	0	608	0	180	0	0	0	0	765	0	0	0	3	0	0	0	0	0	1,627	
Macrobrachium sp.	0	0	0	0	11	12,713	0	300	0	0	0	0	5,400	0	0	914	802	0	0	0	0	3,590	23,729	
Metapenaeus dobsoni	0	2,179	142,160	31,788	0	7,470	3,462	1,425	61	1,937	0	707	80,753	0	566	0	1,625	253	514	75	35,066	310,041		
Metapenaeus monoceros	0	5,688	24,317	11,940	0	923	1,609	705	0	868	0	270	32,355	0	158	0	63	34	180	11	10,457	89,578		
Penaeus monodon	0	3,583	8,432	2,880	71	1,260	2,373	0	37	30	0	47	9,668	30	14	248	132	1,565	50	53	6,767	37,240		
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Catch (unclassified)	15,600	0	0	0	225	23	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	0	15,863	
<b>Total</b>	<b>15,600</b>	<b>14,866</b>	<b>266,017</b>	<b>79,248</b>	<b>2,500</b>	<b>141,503</b>	<b>23,023</b>	<b>4,170</b>	<b>2,975</b>	<b>13,622</b>	<b>3,360</b>	<b>3,364</b>	<b>234,698</b>	<b>12,896</b>	<b>4,664</b>	<b>45,565</b>	<b>15,793</b>	<b>15,717</b>	<b>3,084</b>	<b>1,955</b>	<b>241,459</b>	<b>1,146,076</b>		

Annex 5.8 Landing-center-wise catch &amp; effort statistics (May 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	62	1,219	3,426	171	829	4,035	829	62	884	1,509	667	1,256	4,738	705	1,039	1,953	1,762	3,198	915	527	5,120	34,903
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,981	165	93	1,072	93	0	512	0	0	0	529	39	8	70	401	929	0	8	1,623	7,522
<i>Channa punctatus</i>	0	0	103	0	39	147	0	0	0	0	0	0	1,495	0	0	256	87	0	0	0	0	2,127
<i>Channa striatus</i>	0	0	16	0	0	3,671	0	0	0	0	0	0	622	0	0	756	174	30	0	0	78	5,346
<i>Chanos chanos</i>	0	0	0	0	0	109	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	115
<i>Cirrhana catla</i>	0	0	0	0	0	2,909	0	0	0	0	0	0	2,190	0	0	0	0	0	0	0	0	5,099
<i>Cirrhana mrigala</i>	0	0	0	0	0	996	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	996
<i>Datnoides spp.</i>	0	0	639	0	179	2,563	0	0	79	0	0	0	1,885	0	0	419	380	297	0	0	364	6,804
<i>Daysciaena albida</i>	0	0	4,550	233	86	11,919	4,050	0	0	31	217	0	13,382	0	0	2,950	802	1,719	0	16	22,561	62,495
<i>Elasmobranchs, Sankucha</i>	0	0	0	656	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	280	936
<i>Eleutheronema tetradactylus</i>	0	0	2,472	646	12	8,512	1,215	0	0	0	47	0	5,664	589	0	860	29	0	0	0	5,622	25,668
<i>Etroplus suratensis</i>	0	0	756	0	106	109	0	0	70	31	0	163	27	601	27	0	193	709	97	85	1,736	4,709
<i>Gerreomorpha spp.</i>	0	0	1,351	2,806	42	171	0	0	116	279	0	35	1,273	105	8	0	173	795	0	27	3,708	10,888
<i>Hilsa (Tenulosa) ilisha</i>	0	0	20	0	0	899	67	0	0	0	0	0	343	0	0	93	0	14	0	0	575	2,011
<i>Hyporhamphus limbatus</i>	0	0	12,073	0	135	17,605	529	0	0	0	0	0	3,980	0	0	233	295	30	0	0	13,516	48,395
<i>Labeo rohita</i>	0	0	70	0	0	3,265	0	0	0	0	0	0	687	0	0	0	0	0	0	0	0	4,021
<i>Lates calcarifer</i>	0	0	3,689	129	0	341	70	0	0	0	0	0	217	0	0	0	0	0	0	0	1,480	5,926
<i>Liza macrolepis</i>	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	135	0	0	31	174

Contd....

Annex 5.8 Landing-center-wise catch &amp; effort statistics (May 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kunap- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Liza tade	0	482	1,041	1,478	5	140	323	0	0	2,808	1,438	99	806	670	295	186	6	390	254	87	1,831	12,337
Mastacembelus sp.	0	0	814	0	90	2,033	0	0	0	0	0	0	862	0	0	221	469	0	0	0	326	4,815
Misc. fishes (Fresh w)	0	0	35	284	126	3,081	0	0	0	0	0	0	1,877	0	0	2,290	695	5	0	0	1,645	10,037
Misc. fishes (Brackish w)	0	0	310	925	0	0	0	0	93	0	0	0	0	8	0	0	11	0	0	0	0	1,346
Mugil cephalus	0	1,159	1,005	920	12	876	47	0	279	1,292	1,825	50	468	271	178	47	315	2,870	118	217	946	12,895
Mystus gulio	0	0	3,110	217	210	11,827	4,742	667	23	754	147	54	12,813	236	160	21,099	888	1,941	58	101	6,757	65,806
Nematolosa narus & A. chacunda	0	0	6,504	1,276	1,689	12,525	3,261	0	233	2,395	23	465	10,752	1,442	934	2,581	486	1,378	812	380	41,320	88,455
Notopterus notopterus	0	0	123	0	0	11,092	0	0	0	0	0	0	3,950	0	0	872	463	0	0	0	2,481	18,980
Oreochromis mossambicus	0	0	312	0	0	0	0	0	0	0	0	0	0	0	0	23	0	23	0	0	0	358
Osteogobius militaries	0	0	8	0	0	202	0	0	0	0	0	0	94	0	0	0	0	0	0	0	0	304
Other mullets	0	1,590	123	708	0	93	0	0	0	0	5,208	0	47	0	0	140	0	0	0	0	620	8,528
Pangasius pangasius	0	0	0	0	0	0	0	341	0	0	0	0	0	0	0	0	0	0	0	0	0	341
Plotosus canius	0	0	10,010	1,555	1,004	4,763	229	186	93	289	0	97	4,552	85	856	349	1,218	1,458	39	78	3,839	30,699
Rhabdosargus sarba & Crenidens	0	174	3,274	3,451	0	3,534	0	0	256	0	151	0	2,702	0	0	0	5	350	0	0	24,682	38,579
Rhinomugil corsula	0	0	0	0	0	434	0	0	0	10	0	0	465	0	0	0	0	0	0	0	54	964
Silaginids	0	0	0	0	0	0	0	0	0	0	0	0	93	0	0	0	0	0	8	0	31	132
Strongylura strongylura	0	0	12,443	0	45	5,247	276	0	209	0	0	0	1,900	543	0	140	356	0	2	0	4,343	25,503
Terapon spp.	0	362	215	455	9	0	0	0	0	398	171	258	0	391	308	0	82	330	124	109	520	3,731

Contd...

Annex 5.8 Landing-center-wise catch &amp; effort statistics (May 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh ghat	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gajapati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
<i>Thryssa</i> sp. & <i>Stolephorus</i> sp.	310	0	44,241	207	0	23,601	228	620	233	134	54	12	10,521	5,363	0	116	528	2,456	0	0	0	29,275	117,897
<i>Triacanthus</i> <i>biaculatus</i>	0	0	7,482	129	232	1,614	805	0	2,534	52	0	308	792	543	322	0	1,459	7,125	157	312	4,856	28,721	
<i>Wallago attu</i>	0	0	0	0	0	3,113	0	0	0	0	0	0	632	0	0	116	0	0	0	0	62	3,923	
<b>Crustacea</b>																							
<i>Fenneropenaeus</i> <i>indicus</i>	2,273	1,582	39,810	30,091	893	3,524	8,638	1,085	0	567	0	1,821	38,853	40	201	0	428	321	296	81	22,307	152,811	
<i>Macrobrachium</i> <i>malcomsoni</i>	0	0	31	0	23	2,707	0	0	0	0	0	0	1,393	0	0	47	5	0	0	0	0	4,205	
<i>Macrobrachium</i> sp.	0	0	0	0	0	18,490	0	0	0	0	0	0	2,989	0	0	1,825	0	0	0	0	4,203	27,507	
<i>Metapenaeus</i> <i>dobsoni</i>	12,142	1,181	29,624	21,509	605	6,337	4,307	1,783	0	1,271	0	414	35,704	0	252	0	402	894	172	60	24,217	140,874	
<i>Metapenaeus</i> <i>monoceros</i>	2,635	2,958	19,992	13,118	0	5,482	2,877	744	0	744	0	228	37,155	0	271	0	243	106	220	67	12,161	99,001	
<i>Penaeus</i> <i>monodon</i>	0	2,194	12,517	9,233	65	1,272	1,532	0	181	44	0	26	7,023	261	64	163	479	5,570	105	50	7,027	47,805	
<b>Catch</b> <b>(unclassified)</b>	0	0	747	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	747	
<b>Total</b>	<b>17,360</b>	<b>11,681</b>	<b>221,498</b>	<b>90,189</b>	<b>5,698</b>	<b>176,273</b>	<b>33,288</b>	<b>5,425</b>	<b>4,910</b>	<b>11,099</b>	<b>9,281</b>	<b>4,030</b>	<b>208,733</b>	<b>11,186</b>	<b>3,884</b>	<b>35,828</b>	<b>11,070</b>	<b>29,880</b>	<b>2,461</b>	<b>1,676</b>	<b>245,080</b>	<b>1,140,533</b>	

Annex 5.9 Landing-center-wise catch &amp; effort statistics (June 2008): catch in kg

Scientific name	Landing Centre															Total						
	Alupata	Arakha-kuda	Balugaon	Balugaon-ghat	Baula-bandh	Bhusandapur	Boradi	Borokudi	Chandraput	Gajapati-nagar	Gangadharpur	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur		Mangalajodi	Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	180	1,080	4,140	180	990	3,540	810	210	870	1,410	240	1,500	3,780	600	960	1,530	1,980	3,750	690	360	3,510	32,310
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,955	90	9	1,195	137	0	132	0	0	0	1,413	0	11	0	268	478	0	0	1,702	7,390
<i>Channa punctatus</i>	0	0	266	0	7	45	0	0	0	0	0	0	270	0	0	361	36	0	0	0	0	985
<i>Channa striatus</i>	0	0	47	0	0	2,656	0	0	0	0	0	0	2,270	0	0	1,017	53	0	0	0	0	6,043
<i>Cirrhana catla</i>	0	0	9	0	0	3,933	0	0	0	0	0	0	5,978	0	0	0	0	0	0	0	0	9,920
<i>Cirrhana mrigala</i>	0	0	0	0	0	522	0	0	0	0	0	0	375	0	0	0	0	0	0	0	0	897
<i>Datimoides spp.</i>	0	0	433	0	135	826	113	0	34	0	0	0	2,336	0	0	113	197	260	0	0	669	5,115
<i>Daysciena albida</i>	0	288	11,276	132	79	12,888	3,425	0	0	0	382	0	10,527	0	0	1,311	553	739	0	0	11,216	52,815
<i>Elaosobranchs, Sankucha</i>	0	0	0	150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	150
<i>Eleutheronema tetradactylus</i>	0	72	7,110	2,520	353	23,377	776	0	264	0	0	0	16,298	983	0	1,562	633	214	0	0	22,464	76,625
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	36	96
<i>Etroplus suratensis</i>	0	56	4,507	0	20	0	0	0	103	0	0	8	45	240	0	0	152	614	0	45	3,048	8,837
<i>Gerreomorpha spp.</i>	0	0	1,259	1,626	194	225	0	0	156	420	0	0	1,458	570	30	0	63	2,442	53	15	4,995	13,505
<i>Hilsa (Tenualosa) ilisha</i>	0	0	81	0	11	633	70	0	0	15	0	0	76	0	0	0	9	37	0	0	136	1,067
<i>Hyporhamphus limbatus</i>	0	0	11,217	0	23	22,538	180	0	0	0	0	0	16,690	0	0	679	643	388	0	0	11,516	63,873
<i>Labeo rohita</i>	0	0	64	0	0	3,229	0	0	0	0	0	0	3,401	0	0	430	0	0	0	0	0	7,123
<i>Lates calcarifer</i>	0	296	9,768	306	0	1,538	114	0	0	0	0	0	90	0	0	0	19	0	0	0	1,935	14,066
<i>Liza macrolepis</i>	0	0	243	0	0	0	0	0	0	0	0	0	0	0	0	0	30	186	0	0	36	494
<i>Liza tade</i>	0	220	7,210	1,692	9	90	503	0	983	1,564	307	223	1,053	690	420	677	19	554	167	83	5,991	22,453
<i>Mastacembealus sp.</i>	0	0	180	0	32	1,549	0	0	0	0	0	0	1,601	0	0	452	103	0	0	0	0	3,917

Contd...

Annex 5.9 Landing-center-wise catch &amp; effort statistics (June 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupata	Arakha-kuda	Balugaon	Balugaon-ghat	Baulabandh	Bhusandapur	Boradi	Borokudi	Chandraput	Gajapati-nagar	Gangadharpur	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur	Mangalajodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Misc. fishes (Fresh w)	0	72	853	0	189	7,382	0	0	169	0	0	0	6,801	0	0	6,404	176	0	0	0	977	23,022
Misc. fishes (Brackish w)	0	898	282	1,614	90	0	0	0	0	0	675	0	0	0	0	0	14	30	0	23	1,968	5,592
Mugil cephalus	0	1,198	5,982	654	18	496	92	0	325	1,129	2,822	124	571	1,065	218	0	362	3,411	124	304	1,620	20,514
Mystus gulio	0	108	7,943	60	243	3,882	1,316	0	257	1,563	470	195	10,293	15	236	5,227	747	1,130	143	23	3,012	36,862
Nematolosa nasus & A. chacunda	0	999	2,970	888	594	10,277	1,256	390	496	2,944	0	804	4,333	2,220	887	409	486	1,645	626	254	15,003	47,480
Notopterus notopterus	0	0	18	0	0	6,780	0	0	0	0	0	0	4,933	0	0	1,916	353	0	0	0	543	14,543
Oreochromis mossambicus	0	0	1,194	0	0	0	0	0	0	0	0	0	53	15	49	23	0	4	0	0	0	1,338
Osteogeneiosus militaries	0	0	0	0	0	0	0	0	0	0	405	0	45	0	0	0	0	0	0	0	27	477
Other mullets	0	1,918	1,880	624	0	23	0	0	122	0	4,202	0	60	0	0	45	41	15	0	0	543	9,472
Pangasius pangasius	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0	0	0	0	0	0	30
Plotosus canius	300	0	23,255	852	34	2,835	47	0	135	227	0	23	11,491	135	420	45	1,660	2,395	109	45	5,319	49,326
Rhabdosargus sarba & Crenidens	550	0	2,526	2,580	0	2,733	180	0	0	0	0	0	600	0	0	0	130	692	0	8	4,694	14,693
Rhinomugil corsula	0	0	0	0	0	791	0	0	0	0	0	0	707	0	0	68	0	0	0	0	36	1,601
Strongylura strongylura	0	324	10,149	0	7	5,245	113	0	0	19	0	0	6,495	2,003	0	90	777	631	0	15	3,256	29,123
Terapon spp.	450	0	460	78	23	0	0	0	0	1,144	300	323	405	1,995	120	0	98	949	322	115	1,626	8,406
Thryssa sp. & Stolephorus sp.	0	371	5,444	48	0	43,169	270	330	180	0	75	0	30,299	0	0	588	97	4,128	0	0	33,442	118,441
Triacanthus biaculatus	0	0	9,595	0	488	724	392	0	784	83	0	137	331	150	206	0	1,302	5,955	118	199	5,402	25,864
Wallago attu	0	0	54	0	0	3,557	0	0	0	0	0	0	467	0	0	316	0	0	0	0	72	4,466

Contd...

Annex 5.9 Landing-center-wise catch &amp; effort statistics (June 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chandra-put	Gajapati-nagar	Ganga-dhar-pur	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Mangala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<i>Fenneropenaeus indicus</i>	750	1,749	54,813	37,182	2,963	3,184	12,468	3,495	5	1,022	0	886	81,469	0	435	0	1,511	502	324	152	24,789	227,698
<i>Macrobrachium malcomsoni</i>	0	0	0	0	0	1,267	0	0	0	0	0	0	2,682	0	0	23	0	0	0	0	0	3,972
<i>Macrobrachium</i> sp.	0	0	0	0	0	5,585	0	0	0	0	0	0	735	0	0	2,238	0	0	0	0	0	8,558
<i>Metapenaeus dobsoni</i>	8,800	2,465	8,520	11,490	0	2,511	1,720	420	31	746	0	139	42,910	0	38	0	42	15	38	38	12,474	92,395
<i>Metapenaeus monoceros</i>	3,150	469	24,899	16,908	833	4,170	6,213	600	48	1,631	0	315	57,414	0	293	0	1,087	134	263	86	22,044	140,555
<i>Penaeus monodon</i>	0	1,625	8,103	9,696	18	712	1,055	218	58	137	0	118	2,634	35	56	23	113	4,680	66	42	2,498	31,885
<b>Total</b>	<b>14,000</b>	<b>13,126</b>	<b>224,564</b>	<b>89,190</b>	<b>6,370</b>	<b>180,564</b>	<b>30,435</b>	<b>5,453</b>	<b>4,280</b>	<b>12,644</b>	<b>9,639</b>	<b>3,293</b>	<b>329,639</b>	<b>10,115</b>	<b>3,417</b>	<b>24,015</b>	<b>11,773</b>	<b>32,286</b>	<b>2,349</b>	<b>1,444</b>	<b>203,088</b>	<b>1,211,683</b>

Annex 5.10 Landing-center-wise catch &amp; effort statistics (July 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chandra-put	Gajapati-nagar	Ganga-dhar-pur	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	227	1,374	4,383	180	1,566	3,441	543	434	845	1,364	326	907	5,120	806	1,023	1,457	2,485	3,044	806	504	4,433	35,267
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,906	180	23	1,442	61	0	230	4	0	0	707	0	4	0	243	817	0	0	1,013	6,629
<i>Channa punctatus</i>	0	0	143	0	19	279	0	0	0	0	0	0	233	47	0	517	234	0	0	0	0	1,471
<i>Channa striatus</i>	0	0	65	0	0	2,069	0	0	0	0	0	0	1,349	0	0	846	23	0	0	0	0	4,352
<i>Chanos chanos</i>	0	0	0	0	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	31
<i>Cirrhana catla</i>	0	0	0	0	0	1,659	0	0	0	0	0	0	2,592	0	0	0	0	0	0	0	0	4,251
<i>Cirrhana mrigala</i>	0	0	0	0	0	605	0	0	0	0	0	0	816	0	0	0	0	0	0	0	0	1,421
<i>Daminoidea spp.</i>	0	0	519	0	128	977	0	0	143	0	310	0	1,806	0	0	116	905	120	0	0	517	5,541
<i>Dayasiaena albida</i>	0	211	5,900	285	181	13,067	1,683	0	46	0	171	0	9,368	0	0	163	330	264	0	0	7,856	39,525
<i>Elasmobranchs, Sankucha</i>	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
<i>Eleutheronema tetradactylus</i>	0	0	4,630	3,776	108	20,925	602	0	276	53	109	2	11,204	2,984	0	2,634	2,490	95	70	0	12,821	62,777
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	0	0	0	18
<i>Etroplus suratensis</i>	0	0	1,591	0	41	140	0	0	90	62	0	138	527	35	4	0	914	481	103	182	702	5,010
<i>Gerreomorpha spp.</i>	0	0	2,621	992	265	78	0	0	93	174	0	0	900	151	0	0	99	481	8	23	2,289	8,173
<i>Hilsa (Tenualosa) ilisha</i>	0	0	47	0	0	512	0	0	0	0	0	0	575	0	0	0	0	45	0	0	310	1,487
<i>Hyporhamphus limbatus</i>	0	0	9,348	0	46	18,259	320	0	0	0	0	0	12,360	0	0	465	1,318	37	0	0	12,210	54,363
<i>Labeo rohita</i>	0	0	0	0	0	2,658	0	0	0	0	0	0	2,560	0	0	0	0	0	0	0	0	5,218

Contd...

Annex 5.10 Landing-center-wise catch &amp; effort statistics (July 2008): catch in kg

Scientific name	Landing Centre																	Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-andapur	Boradi	Boro-kudi	Chandra-put	Gajapati-nagar	Gangadhar-pur	Gour-angapatana	Kalupadaghat	Kesh-pur	Kumar-pur	Man-galajodi	Nairi		Pathara	Ramba	Sabulia	Sorana	
Lates calcarifer	0	0	3,309	124	0	233	0	0	0	0	0	0	93	0	0	23	6	0	0	0	0	171	3,959
Liza macrolepis	0	0	260	0	0	62	0	0	0	0	0	0	62	0	0	0	0	183	0	0	0	0	567
Liza tade	0	202	8,665	3,274	55	450	139	0	983	1,457	186	246	559	1,996	279	395	11	918	124	147	2,633	22,719	
Lufjanus sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	4
Mastacembelus sp.	0	0	347	0	23	1,116	0	0	4	0	0	0	1,334	0	0	106	377	0	0	0	63	3,370	
Misc. fishes (Fresh w)	0	0	438	0	237	7,766	0	0	16	4	0	0	4,188	0	12	4,200	402	16	0	0	1,075	18,353	
Misc. fishes (Brackish w)	0	1,029	877	6,082	27	403	0	0	0	0	1,860	8	917	0	0	0	29	137	0	78	2,445	13,892	
Mugil cephalus	0	853	11,214	2,430	46	2,294	0	0	174	519	1,271	23	2,093	105	167	267	232	3,094	101	395	1,606	26,884	
Mystus gulio	362	584	1,262	81	264	1,891	22	3,643	58	1,095	0	81	1,520	89	120	580	1,469	2,155	102	4	3,014	18,396	
Nematolosa nasus & A. chacunda	0	579	3,538	1,265	1,218	8,742	1,046	0	406	1,616	0	488	6,346	2,434	730	70	527	1,699	366	238	19,420	50,728	
Notopterus notopterus	0	0	47	0	0	6,185	0	0	0	0	0	0	4,367	0	0	3,784	1,220	0	0	0	454	16,056	
Oreochromis mossambicus	0	0	13,940	0	0	0	0	0	0	0	0	0	140	0	0	0	0	205	0	0	0	14,285	
Osteogeneiosus militaries	0	211	0	0	0	31	0	0	0	0	217	0	155	0	0	0	0	0	0	0	187	801	
Other mullets	310	2,041	4,672	1,469	19	47	78	0	122	0	3,728	0	450	0	0	116	84	282	0	0	726	14,143	
Plotosus canius	155	169	9,000	725	376	5,224	81	362	11	78	47	163	9,340	39	159	0	1,457	863	47	16	5,135	33,443	
Rhabdosargus sarba & Crendens	775	550	8,964	7,862	21	2,620	0	0	0	5	0	0	3,669	85	12	0	519	4,839	0	0	2,988	32,909	
Rhinomugil corsula	0	0	0	0	0	992	18	0	0	0	0	0	218	0	0	1,721	0	0	0	0	248	3,196	
Silaginids	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	141	146	

Contd...

Annex 5.10 Landing-center-wise catch &amp; effort statistics (July 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chandra-put	Gajapati-nagar	Ganga-dhar-pur	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<i>Strongylura strongylura</i>	0	0	11,188	0	50	5,053	58	145	0	19	0	0	4,553	5,131	0	209	1,545	93	0	171	4,064	32,278
<i>Terapon</i> spp.	1,292	1,649	2,818	149	0	0	0	0	30	640	481	165	358	1,364	294	0	21	880	246	103	3,595	14,084
<i>Thryssa</i> sp. & <i>Stolephorus</i> sp.	620	738	17,305	56	0	24,816	416	2,325	253	4	0	0	9,755	3,294	0	349	300	1,866	0	0	30,213	92,309
<i>Triacanthus biaculatus</i>	0	0	8,955	0	394	620	203	0	521	78	0	119	1,206	322	172	0	1,433	5,370	140	202	5,085	24,818
<i>Wallago attu</i>	0	0	0	0	0	3,209	0	0	0	0	0	0	93	0	0	304	15	0	0	0	63	3,684
<b>Crustacea</b>																						
<i>Femeropeanaeus indicus</i>	0	2,195	46,454	27,881	1,593	3,023	7,388	2,294	9	592	0	534	36,337	35	353	0	1,357	557	279	131	14,524	145,535
<i>Macrobrachium malcomsoni</i>	0	0	0	0	0	1,643	0	0	0	0	0	0	1,838	0	0	0	11	0	0	0	0	3,492
<i>Macrobrachium</i> sp.	0	0	0	0	0	5,410	0	0	0	0	0	0	512	0	0	1,025	0	0	0	0	31	6,977
<i>Metapenaeus dobsoni</i>	4,133	990	14,887	9,120	125	6,882	529	271	0	553	0	56	44,163	0	78	0	6	0	25	35	13,652	95,506
<i>Metapenaeus monoceros</i>	1,467	886	23,708	9,970	1,427	3,395	1,717	1,369	11	846	0	172	39,346	0	262	23	632	83	137	29	12,114	97,594
<i>Penaeus monodon</i>	0	1,480	10,629	8,655	258	1,124	1,148	729	254	73	0	20	8,032	151	57	0	624	5,983	109	93	3,637	43,055
<b>Catch (unclassified)</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	140	140
<b>Total</b>	<b>9,114</b>	<b>14,367</b>	<b>229,258</b>	<b>84,376</b>	<b>6,942</b>	<b>155,922</b>	<b>15,508</b>	<b>11,137</b>	<b>3,731</b>	<b>7,872</b>	<b>8,378</b>	<b>2,215</b>	<b>226,640</b>	<b>18,259</b>	<b>2,705</b>	<b>17913</b>	<b>18,832</b>	<b>31,585</b>	<b>1,855</b>	<b>1,846</b>	<b>165,142</b>	<b>1,033,596</b>

Annex 5.11 Landing-center-wise catch &amp; effort statistics (August 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupatana	Arakha-kuda	Balugaon	Balugaon-ghat	Baula-bandh	Bhusandapur	Boradi	Borokudi	Chandraput	Gajapati-nagar	Gangadharpur	Gourangapatna	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
<b>Fishing days</b>	196	1,343	4,536	186	1,035	2,108	512	543	876	1,488	568	1,070	3,538	837	876	1,023	1,860	3,219	930	457	3,436	30,637	
<b>Finfish</b>																							
<i>Arius arius</i>	0	0	1,150	88	174	514	0	0	124	0	0	0	587	81	0	48	316	451	0	0	0	2,432	5,965
<i>Channa punctatus</i>	0	0	91	0	9	869	0	130	0	0	0	0	1,014	0	0	1,084	76	0	0	0	0	172	3,444
<i>Channa striatus</i>	0	0	16	0	7	3,633	0	63	0	0	0	0	2,773	0	0	1,625	50	0	0	0	0	16	8,182
<i>Chanos chanos</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cirrhana catla</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	91	91
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Datinoides spp.</i>	0	0	3,087	0	288	2,530	0	0	175	0	0	0	3,141	0	0	67	879	193	0	0	0	571	10,930
<i>Dayasiaena albida</i>	0	390	5,071	295	213	8,462	1,478	0	40	0	179	0	6,990	0	0	782	377	176	0	0	0	6,585	31,037
<i>Elasmobranchs, Sankucha</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Eleutheronema tetradactylus</i>	0	130	7,103	3,069	141	6,810	549	0	88	23	294	0	12,657	694	0	1,332	298	313	0	0	0	5,891	39,392
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	38	42
<i>Etroplus suratensis</i>	0	0	4,788	0	216	0	0	0	284	16	0	66	587	345	70	82	513	667	581	248	899	9,361	
<i>Gerreomorpha spp.</i>	0	301	1,545	2,408	12	656	132	0	57	380	0	23	2,310	248	8	0	84	292	16	16	4,821	13,307	
<i>Hilsa (Tenuulosa) ilisha</i>	0	59	208	0	0	467	0	0	0	0	0	0	340	0	0	48	0	38	0	0	436	1,596	
<i>Hyporhamphus limbatus</i>	0	0	10,436	0	0	8,566	480	0	0	0	0	0	6,642	0	0	569	434	0	0	0	0	5,855	32,982
<i>Labeo rohita</i>	0	0	47	0	0	187	0	0	0	0	0	0	697	0	0	0	0	0	0	0	0	46	976
<i>Lates calcarifer</i>	0	0	1,377	217	0	140	13	0	0	0	0	0	77	39	0	0	132	0	0	0	46	2,039	
<i>Liza macrolepis</i>	0	0	147	31	47	0	0	0	0	0	0	0	950	0	0	0	107	240	0	0	215	1,736	
<i>Liza tade</i>	0	39	603	2,527	9	283	116	0	0	2,049	83	400	309	1,310	227	769	8	473	59	70	1,487	10,821	
<i>Lutjanus sp.</i>	0	0	6	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	22

Contd...

Annex 5.11 Landing-center-wise catch &amp; effort statistics (August 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Bala- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- pada- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
Mastacembealus sp.	0	0	449	0	81	2,674	72	0	0	0	0	0	2,533	0	0	193	188	0	0	0	0	131	6,321
Misc. fishes (Fresh w)	0	0	635	1,638	132	6,776	127	0	5	0	0	0	9,928	0	0	4,707	293	3	0	0	0	621	24,865
Misc. fishes (Brackish w)	258	1,236	1,237	10,008	0	945	0	0	0	0	3,880	0	472	0	0	0	56	77	0	0	0	1,443	19,610
Mugil cephalus	0	2,120	9,258	4,836	272	5,110	478	0	792	1,589	2,424	202	4,835	544	186	207	535	3,208	124	345	2,454	39,518	
Mystus gulio	0	130	3,874	145	209	1,336	171	352	116	566	235	270	2,849	116	409	579	1,325	130	134	12	1,974	14,931	
Nematolosa narus & A. chacunda	0	980	12,834	1,028	586	5,387	240	0	680	1,535	21	715	8,920	1,856	506	0	490	3,449	318	124	8,854	48,521	
Notopterus notopterus	0	0	0	0	0	9,101	0	8	0	0	0	0	4,774	0	0	5,622	570	0	0	0	0	392	20,469
Oreochromis mossambicus	0	0	18,062	0	0	0	0	0	0	0	0	0	796	0	0	96	3	137	0	0	292	19,385	
Osteogeneiosus militaries	0	346	0	0	0	0	0	0	0	0	251	0	0	0	0	0	0	0	0	0	122	719	
Other mullets	0	2,169	6,131	4,226	0	140	426	0	473	0	5,739	0	540	0	0	211	74	296	0	0	335	20,760	
Pangasius pangasius	0	0	0	0	0	0	0	230	0	0	0	0	0	0	0	0	0	0	0	0	0	230	
Plotosus canius	310	130	7,311	1,137	530	850	85	0	309	205	0	202	9,780	151	171	24	1,784	2,134	105	93	2,458	27,767	
Rhabdosargus sarba & Crenidens	1,498	663	9,249	9,662	0	1,256	1,033	0	47	19	909	0	5,197	0	16	0	663	1,541	0	54	10,352	42,159	
Rhinomugil corsula	0	0	0	0	0	93	0	0	0	0	0	0	527	0	0	368	0	0	0	0	473	1,462	
Silaginids	0	0	0	165	0	0	0	0	0	0	0	0	122	0	0	0	0	0	0	0	223	510	
Strongylura strongylura	0	0	15,159	0	0	2,955	179	0	4	0	0	0	3,219	1,628	0	214	939	31	0	0	2,449	26,776	
Terapon spp.	2,170	606	3,245	1,126	19	0	155	0	47	800	502	298	0	2,434	212	0	0	444	188	47	3,347	15,639	
Thryssa sp. & Stolephorus sp.	2,377	1,536	29,322	0	0	8,520	76	0	0	0	0	0	3,333	3,348	0	228	442	3,261	0	12	9,554	62,007	

Contd....

Annex 5.11 Landing-center-wise catch &amp; effort statistics (August 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<i>Triacanthus biaculatus</i>	0	0	7,743	0	66	0	6	0	767	62	0	110	492	550	197	0	708	4,328	109	257	6,367	21,765
<i>Wallago attu</i>	0	0	0	0	81	1,082	13	31	0	0	0	0	155	0	0	48	0	0	0	0	31	1,441
<b>Crustacea</b>																						
<i>Fenneropenaeus indicus</i>	0	1,886	24,436	13,475	211	467	2,533	0	63	506	0	216	21,575	55	152	0	364	237	274	112	12,024	78,586
<i>Macrobrachium malcomsoni</i>	0	0	140	0	0	8,840	0	0	0	0	0	0	2,618	0	0	0	16	8	0	0	1,320	12,941
<i>Macrobrachium sp.</i>	0	0	310	0	0	892	0	392	0	0	0	0	46	0	0	144	0	0	0	0	0	1,784
<i>Metapenaeus dobsoni</i>	1,839	411	22,900	26,727	0	1,775	800	0	0	550	0	31	37,531	0	50	0	31	6	13	2	11,076	103,744
<i>Metapenaeus monoceros</i>	5,807	1,484	24,797	19,458	173	1,827	2,362	87	9	934	0	131	26,428	4	182	0	76	57	127	22	14,890	98,855
<i>Penaeus monodon</i>	0	1,156	8,035	11,408	85	469	537	0	246	40	0	48	3,674	187	55	0	264	4,307	155	122	3,262	34,050
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Catch (unclassified)</b>	0	0	0	32,504	5,017	126	0	0	0	0	155	7	62,915	0	0	0	19	0	8	0	181	100,931
<b>Total</b>	<b>14,260</b>	<b>15,774</b>	<b>240,800</b>	<b>146,191</b>	<b>8,579</b>	<b>93,738</b>	<b>12,059</b>	<b>1,293</b>	<b>4,327</b>	<b>9,273</b>	<b>14,671</b>	<b>2,719</b>	<b>252,330</b>	<b>13,594</b>	<b>2,439</b>	<b>19,046</b>	<b>12,112</b>	<b>26,496</b>	<b>2,210</b>	<b>1,535</b>	<b>124,226</b>	<b>1,017,673</b>

Annex 5.12 Landing-center-wise catch &amp; effort statistics (September 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	240	1,330	3,240	156	878	2,858	465	450	735	1,300	390	1,095	3,456	882	825	1,493	1,885	2,880	810	390	3,550	29,307
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,015	198	11	702	0	0	133	10	0	4	562	18	0	0	257	1,008	4	53	1,440	5,413
<i>Channa punctatus</i>	0	0	0	0	43	1,065	0	0	18	0	0	0	2,429	0	0	1,582	171	9	0	0	258	5,574
<i>Channa striatus</i>	0	0	89	0	0	3,977	0	45	11	0	0	0	2,334	0	0	2,272	417	0	0	0	105	9,251
<i>Chanos chanos</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	90	0	0	0	0	0	90
<i>Cirrhana catla</i>	0	0	0	0	0	4,035	0	0	0	0	0	0	1,462	0	0	0	0	0	0	0	0	5,497
<i>Cirrhana mrigala</i>	0	0	0	0	0	682	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	682
<i>Daniooides spp.</i>	0	0	1,055	0	223	3,131	203	0	85	0	0	0	2,859	0	0	273	900	177	0	0	2,284	11,189
<i>Dayasciaena albida</i>	0	281	3,265	18	11	13,225	1,474	0	78	0	225	0	11,786	12	0	927	325	268	0	0	8,045	39,941
<i>Eleutheronema tetradactylus</i>	0	166	2,010	1,866	29	5,054	900	0	59	60	120	4	3,910	741	0	610	209	210	0	0	5,698	21,646
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	0	0	7
<i>Etiopelus suratensis</i>	0	0	3,061	0	122	1,069	45	0	35	30	0	2	842	144	8	0	696	2,183	66	225	3,206	11,732
<i>Gerreomorpha spp.</i>	0	0	268	1,266	9	227	0	0	73	0	0	8	799	15	19	0	68	680	21	0	3,470	6,922
<i>Hilsa (Tenualosa) ilisha</i>	0	61	115	0	0	862	113	0	0	0	0	0	100	12	0	0	0	33	0	0	166	1,462
<i>Hyporhamphus limbatus</i>	0	0	4,851	0	0	7,658	302	0	0	0	0	0	3,261	0	0	319	385	66	0	0	3,270	20,113
<i>Labeo rohita</i>	0	0	90	0	0	4,622	0	0	0	0	0	0	2,651	0	0	23	0	0	0	0	45	7,432
<i>Lates calcarifer</i>	0	102	1,144	204	0	181	30	0	0	0	0	0	525	0	0	0	19	44	0	0	61	2,311
<i>Liza macrolepis</i>	0	41	14	0	0	0	0	0	0	0	60	0	442	0	0	0	59	309	4	0	166	1,096
<i>Liza tade</i>	0	64	179	198	0	316	135	0	0	2,390	173	328	9	1,944	474	1,303	0	0	255	83	1,068	8,918
<i>Mastacembealus sp.</i>	0	0	454	0	97	1,828	0	0	9	0	0	0	2,245	0	0	205	715	22	0	0	286	5,861
<i>Misc. fishes (Fresh w)</i>	0	0	75	264	315	2,907	45	0	11	0	45	0	3,104	0	0	1,782	623	172	0	38	1,576	10,958

Contd....

Annex 5.12 Landing-center-wise catch &amp; effort statistics (September 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
Misc. fishes (Brackish w)	0	1,056	122	2,304	0	0	0	0	0	0	600	0	99	150	0	184	0	0	0	0	0	259	4,773
Mugil cephalus	200	1,830	3,459	3,150	211	5,736	203	0	382	1,595	2,588	840	4,251	897	656	137	371	2,281	281	956	5,635	35,658	
Mystus gulio	0	160	1,742	78	270	1,992	733	360	207	115	120	0	1,950	48	4	702	830	2,284	0	0	5,178	16,771	
Nematolosa narus & A. chacunda	0	336	9,319	1,104	268	5,804	673	0	217	1,155	0	388	3,260	1,455	559	0	51	4,965	510	188	8,507	38,758	
Notopterus notopterus	0	0	178	0	196	10,144	0	0	0	0	0	0	6,461	0	0	8,343	1,084	0	0	0	2,572	28,978	
Oreochromis mossambicus	0	0	10,321	0	0	23	75	45	68	0	0	0	1,213	90	0	45	17	154	0	0	288	12,337	
Osteogeneiosus militaries	0	203	18	0	0	0	0	0	0	0	195	0	54	0	0	0	0	0	0	0	0	470	
Other mullets	200	2,180	1,813	2,346	54	204	497	0	144	0	3,030	113	1,271	60	0	158	17	332	0	60	892	13,370	
Pangasius pangasius	0	0	0	0	0	0	0	315	0	0	0	0	0	0	0	11	0	0	0	0	31	357	
Plotosus canius	250	0	2,583	792	248	2,809	0	0	166	190	0	274	5,726	111	90	45	874	1,979	143	135	5,069	21,484	
Rhabdosargus sarba & Crenidens	1,370	938	6,141	3,540	0	864	45	0	124	20	135	56	1,191	168	90	0	74	657	19	15	3,502	18,949	
Rhinomugil corsula	0	0	0	0	0	478	0	0	0	0	0	0	336	0	0	498	0	0	0	0	295	1,606	
Silaginids	0	0	0	150	0	0	26	0	0	0	0	0	27	0	0	0	0	0	0	0	91	294	
Strongylura strongylura	0	0	6,747	0	0	2,676	135	0	0	0	0	0	1,277	2,400	0	68	707	44	0	41	1,559	15,655	
Terapon spp.	1,500	225	330	696	68	0	75	0	40	868	90	325	91	1,179	227	0	0	179	204	30	1,753	7,881	
Thryssa sp. & Stolephorus sp.	1,950	541	23,384	90	11	13,231	103	0	0	0	0	0	1,638	2,667	0	46	1,271	1,222	0	0	11,892	58,046	
Triacanthus biaculatus	0	0	3,404	0	331	452	221	0	547	70	0	203	743	489	234	0	925	2,396	184	287	3,317	13,802	
Wallago attu	0	0	0	0	0	1,677	0	0	0	0	0	0	697	0	0	768	0	0	0	0	0	3,141	

Contd...

Annex 5.12 Landing-center-wise catch &amp; effort statistics (September 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh ghat	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
<b>Crustacea</b>																							
Fenneropenaeus indicus	0	1,864	22,699	8,358	0	929	1,193	0	15	582	0	682	6,076	308	68	0	93	96	192	47	7,310	50,510	
Macrobrachium malcomsoni	0	0	71	0	9	5,181	90	0	0	0	0	0	6,712	0	0	0	18	0	0	0	2,890	14,971	
Macrobrachium sp.	0	0	2,340	0	63	1,092	0	473	0	0	0	0	0	0	0	316	186	0	0	0	0	4,469	
Metapenaeus dobsoni	2,480	394	7,846	17,112	108	3,126	1,684	0	0	468	0	469	9,616	165	72	0	102	0	51	34	16,744	60,470	
Metapenaeus monoceros	1,620	2,298	7,997	11,328	196	1,879	1,534	23	11	795	0	193	6,563	219	126	0	128	91	157	41	13,109	48,309	
Penaeus monodon	0	412	2,661	7,386	20	419	339	0	126	49	0	97	896	82	23	0	105	3,156	49	29	1,064	16,913	
<b>Catch (unclassified)</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	195	195	
<b>Total</b>	<b>9,570</b>	<b>13,154</b>	<b>130,861</b>	<b>62,448</b>	<b>2,912</b>	<b>110,255</b>	<b>10,872</b>	<b>1,260</b>	<b>2,558</b>	<b>8,397</b>	<b>7,380</b>	<b>3,983</b>	<b>99,468</b>	<b>13,373</b>	<b>2,648</b>	<b>20,708</b>	<b>11,696</b>	<b>25,023</b>	<b>2,138</b>	<b>2,260</b>	<b>123,295</b>	<b>664,259</b>	

Annex 5.13 Landing-center-wise catch &amp; effort statistics (October 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Bala-bandh	Bhus-andapur	Boradi	Boro-kudi	Chandra-put	Gaja-pati-nagar	Ganga-dar-pur	Gour-anga-patana	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	186	1,643	3,751	176	860	3,400	589	155	829	1,217	424	752	3,147	868	891	1,860	1,793	2,767	698	395	3,643	30,042
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	1,014	264	47	2,655	0	0	227	0	0	0	1,293	47	0	0	284	331	0	93	4,852	11,107
<i>Channa punctatus</i>	0	0	107	0	53	4,305	0	47	0	0	0	0	1,533	0	0	1,826	20	0	0	0	186	8,077
<i>Channa striatus</i>	0	0	200	0	23	4,285	0	0	4	0	0	0	4,965	0	0	3,097	132	0	0	0	186	12,892
<i>Chanos chanos</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	62
<i>Cirrhana catla</i>	0	0	0	0	0	2,681	0	0	0	0	0	0	1,138	0	0	0	0	0	0	0	155	3,975
<i>Cirrhana mrigala</i>	0	0	0	0	0	437	0	0	0	0	0	0	437	0	0	0	0	0	0	0	0	875
<i>Daniooides spp.</i>	0	0	536	0	205	3,591	102	0	53	0	0	0	3,103	0	0	47	943	179	0	0	4,061	12,821
<i>Daysciaena albida</i>	0	203	4,062	124	574	25,151	2,807	0	23	0	408	23	16,030	16	0	283	851	133	0	0	12,757	63,447
<i>Elasmobranchs, Sankucha</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	0	0	0	47
<i>Eleutheronema tetradactylus</i>	0	616	1,753	1,721	23	2,056	2,396	0	53	8	305	4	4,800	399	0	330	141	758	0	0	5,363	20,726
<i>Elops machnata</i>	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
<i>Etroplus suratensis</i>	0	0	4,186	0	226	1,265	0	0	108	8	0	50	1,168	442	35	0	539	1,275	169	97	3,898	13,465
<i>Gerreomorpha spp.</i>	0	122	767	1,126	5	372	0	0	23	0	0	0	1,101	0	0	0	0	1,097	0	0	4,712	9,325
<i>Hilsa (Tenualosa ilisha)</i>	0	0	91	0	0	155	0	0	0	0	0	0	78	0	0	0	5	91	0	0	380	799
<i>Hyporhamphus limbatus</i>	0	0	4,471	0	12	2,584	131	0	0	0	0	0	2,350	0	0	47	171	0	0	0	4,480	14,244
<i>Labeo rohita</i>	0	0	39	0	0	4,288	0	0	0	0	0	0	6,077	0	0	23	0	0	0	0	318	10,745
<i>Lates calcarifer</i>	0	0	2,932	563	47	186	257	0	0	0	0	0	366	605	0	0	47	45	0	0	1,178	6,225
<i>Liza macrolepis</i>	0	0	372	16	0	31	0	0	23	0	0	0	373	0	0	0	62	137	0	0	372	1,386

Contd...

Annex 5.13 Landing-center-wise catch &amp; effort statistics (October 2008): catch in kg

Scientific name	Landing Centre																	Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi	Nairi		Pathara	Ramba	Sabulia	Sorana	
Liza tade	0	122	139	398	0	188	81	0	0	0	3,457	134	317	295	484	917	0	249	221	74	2,015	11,148	
Lutjanus sp.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	
Mastacembealus sp.	0	0	441	0	5	3,902	0	0	0	0	0	0	0	1,808	0	268	566	0	0	0	0	543	7,533
Megalops cyprinoids	0	0	0	698	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	698
Misc. fishes (Fresh w)	0	0	16	0	112	4,495	0	0	0	0	0	0	0	4,611	0	2,965	147	9	0	0	0	3,348	15,702
Misc. fishes (Brackish w)	0	1,473	108	83	0	0	0	0	7	0	0	672	0	0	0	0	9	90	0	0	0	155	2,597
Mugil cephalus	692	1,518	4,863	3,544	70	3,718	305	0	296	2,546	2,821	333	4,187	1,581	601	24	859	2,673	116	481	6,882	38,108	
Mystus gulio	103	406	4,142	661	472	2,881	735	62	129	12	83	0	5,763	39	0	576	757	73	0	39	5,100	22,033	
Nematolosa narus & A. chacunda	0	1,331	13,195	1,602	163	2,648	1,002	0	335	1,966	124	569	3,396	1,628	675	0	474	7,251	384	322	9,099	46,162	
Notopterus notopterus	0	0	1,260	0	93	12,980	0	31	0	0	0	0	17,980	0	0	10,789	600	0	0	0	2,263	45,996	
Oreochromis mossambicus	0	0	12,838	0	0	5,873	0	0	37	0	0	0	645	147	0	2,545	0	472	0	0	481	23,039	
Osteogeneiosus militaries	0	0	47	0	0	0	0	0	0	0	145	16	0	0	0	0	0	11	0	0	0	218	
Other mullets	796	2,967	1,230	1,917	0	219	549	0	0	155	4,970	39	3,030	31	0	47	5	732	0	47	860	17,592	
Pangasius pangasius	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	129	0	0	0	0	0	144	
Potosus canius	517	0	5,006	1,633	656	4,884	41	0	193	109	599	0	7,278	124	97	0	2,041	1,260	109	101	9,517	34,164	
Rhabdosargus sarba & Crenidens	692	616	6,520	4,283	0	1,032	0	0	76	171	326	0	536	167	85	0	237	1,637	12	62	2,069	18,520	
Rhinomugil corsula	0	0	0	0	0	682	0	0	0	0	0	0	312	0	0	47	0	0	0	0	682	1,722	
Silagimids	0	284	101	181	0	0	0	0	0	0	0	0	78	0	0	0	0	0	0	0	124	768	

Contd....

Annex 5.13 Landing-center-wise catch &amp; effort statistics (October 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dar- pur	Gour- anga- patana	Kalu- pada- ghat	Kesh- pur	Kumar- pur	Man- gala- jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<i>Strongylura strongylura</i>	0	0	7,127	0	23	1,662	0	0	14	0	0	0	1,595	1,008	0	48	506	23	0	0	2,155	14,160
Terapon spp.	517	284	3,968	289	0	0	25	0	0	609	0	54	0	558	93	0	0	46	29	23	1,256	7,750
<i>Thryssa</i> sp. & <i>Stolephorus</i> sp.	465	122	22,423	279	146	10,008	671	0	74	18	52	2	4,720	2,290	0	0	1,932	2,238	12	0	17,895	63,347
<i>Triacanthus biaculatus</i>	0	0	2,052	26	121	776	41	0	745	62	0	124	481	1,081	241	0	545	3,497	125	277	6,293	16,487
<i>Wallago attu</i>	0	0	0	0	0	2,091	49	0	0	0	0	0	70	0	0	799	0	0	0	0	124	3,133
<b>Crustacea</b>																						
<i>Fenneropenaeus indicus</i>	0	1,047	1,871	5,038	0	558	1,453	0	0	83	0	143	1,706	19	46	0	12	340	141	76	6,355	18,888
<i>Macrobrachium malcomsoni</i>	0	0	0	0	0	7,251	0	0	0	0	0	0	2,885	0	0	0	0	0	0	0	2,279	12,415
<i>Macrobrachium</i> sp.	0	0	0	0	0	9,315	0	78	0	0	0	0	312	0	0	3,595	109	0	0	0	0	13,408
<i>Metapenaeus dobsoni</i>	1,426	517	28,661	21,256	12	931	171	0	0	410	0	70	16,169	0	14	0	0	9	10	0	9,176	78,830
<i>Metapenaeus monoceros</i>	785	2,710	12,405	14,276	195	1,023	1,121	0	2	623	0	113	6,681	0	79	0	0	88	162	25	6,433	46,722
<i>Penaeus monodon</i>	0	740	3,475	8,344	84	1,074	814	0	300	29	0	33	1,199	68	48	0	100	2,523	86	48	1,837	20,804
<b>Catch (unclassified)</b>	0	0	1,224	0	0	0	0	0	0	0	0	0	0	62	0	0	93	0	0	0	0	1,379
<b>Total</b>	<b>5,993</b>	<b>15,076</b>	<b>153,646</b>	<b>68,319</b>	<b>3,364</b>	<b>132,235</b>	<b>12,752</b>	<b>233</b>	<b>2,725</b>	<b>10,263</b>	<b>10,638</b>	<b>1,889</b>	<b>130,549</b>	<b>12,367</b>	<b>2,498</b>	<b>28,449</b>	<b>12,187</b>	<b>27,269</b>	<b>1,574</b>	<b>1,763</b>	<b>139,942</b>	<b>773,732</b>

Annex 5.14 Landing-center-wise catch &amp; effort statistics (November 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-anda-pur	Boradi	Boro-kudi	Chandra-put	Gaja-pati-nagar	Ganga-dhat-pur	Gour-anga-patna	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
<b>Fishing days</b>	200	1,280	3,225	150	945	2,775	585	825	780	1,305	315	765	3,116	758	705	1,665	2,106	2,790	735	443	3,430	28,897	
<b>Finfish</b>																							
<i>Arius arius</i>	0	0	1,226	456	90	4,143	59	0	96	4	0	0	3,543	152	0	0	803	971	0	0	0	5,658	17,201
<i>Channa punctatus</i>	0	0	206	0	11	5,156	0	233	0	0	0	0	1,576	0	0	1,249	184	0	0	0	0	30	8,644
<i>Channa striatus</i>	0	0	202	0	0	9,515	0	450	0	0	0	0	4,098	0	0	3,398	151	0	0	0	0	30	17,843
<i>Chanos chanos</i>	0	0	0	0	0	1,463	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1,463
<i>Cirrhana catla</i>	0	0	0	0	0	859	0	0	0	0	0	0	318	0	0	0	0	0	0	0	0	0	1,177
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	0	0	0	0	0	75	0	0	0	0	0	0	0	0	0	75
<i>Datnoides spp.</i>	0	0	54	0	749	2,638	158	0	52	0	0	0	1,939	0	30	0	360	203	0	0	0	6,714	12,896
<i>Daysciaena albida</i>	0	148	741	408	457	22,265	2,505	90	0	0	585	0	5,097	0	0	0	428	179	0	0	0	5,546	38,450
<i>Elasmobranchs, Sankucha</i>	0	0	0	0	0	0	0	0	0	0	615	2	0	0	0	0	0	0	0	0	0	0	617
<i>Eleutheronema tetradactylus</i>	50	315	694	1,620	34	2,285	1,035	0	11	8	180	0	5,367	346	0	68	50	466	0	0	0	3,813	16,341
<i>Elops machnata</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Etroplus suratensis</i>	0	0	3,183	0	142	236	118	0	217	8	0	77	983	467	34	0	689	1,093	0	353	1,800	9,398	
<i>Gerreomorpha spp.</i>	90	105	149	582	0	169	0	0	0	23	375	0	894	53	0	0	94	141	51	0	3,056	5,780	
<i>Hilsa (Tenualosa) ilisha</i>	0	57	96	0	0	0	0	0	0	0	0	0	23	0	0	0	0	22	0	0	120	318	
<i>Hyporhamphus limbatus</i>	0	0	2,002	0	0	3,041	0	0	0	4	0	0	500	0	0	0	45	0	0	0	4,589	10,182	
<i>Labeo rohita</i>	0	0	150	0	0	3,866	0	0	0	0	0	0	4,436	0	0	0	0	0	0	0	0	8,452	
<i>Lates calcarifer</i>	0	0	2,326	1,350	0	350	0	0	0	0	0	0	759	23	0	0	0	22	0	19	829	5,676	

Contd....

Annex 5.14 Landing-center-wise catch &amp; effort statistics (November 2008): catch in kg

Scientific name	Landing Centre																	Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baulu-bandh	Bhus-andapur	Boradi	Boro-kudi	Chandra-put	Gaja-patinagar	Gangadharpur	Gour-angapatna	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi	Nairi		Pathara	Ramba	Sabulia	Sorana	
<i>Liza macrolepis</i>	0	0	486	252	0	1,305	79	0	0	0	0	0	530	0	4	0	29	66	0	0	0	1,025	3,775
<i>Liza tade</i>	0	350	1,115	600	0	158	234	0	44	3,731	120	354	592	624	296	428	16	297	255	173	4,556	13,942	
<i>Lufjanus sp.</i>	0	0	0	0	0	0	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	0	15
<i>Mastacembealus sp.</i>	0	0	199	0	20	2,031	0	214	0	0	0	0	2,085	0	0	225	218	0	0	0	0	75	5,066
<i>Megalops cyprinoids</i>	0	0	0	0	0	0	0	0	0	0	0	0	151	0	0	0	0	0	0	0	0	0	151
Misc. fishes (Fresh w)	0	0	351	0	194	2,481	0	244	13	0	0	0	5,532	0	0	2,126	212	0	0	0	0	1,640	12,793
Misc. fishes (Brackish w)	0	1,139	254	120	0	56	0	0	0	0	495	0	0	0	0	0	58	66	0	0	0	212	2,400
<i>Mugil cephalus</i>	770	2,007	2,800	4,608	545	8,486	976	0	185	2,964	1,905	319	7,405	602	454	0	466	3,427	195	349	11,991	50,454	
<i>Mystus gulio</i>	0	0	4,363	0	286	2,416	1,766	233	44	53	0	0	5,437	36	8	596	1,001	257	88	27	10,253	26,862	
<i>Nematolosa nasus</i> & <i>A. chacunda</i>	330	670	13,905	1,494	446	2,868	1,622	0	592	3,235	0	1,197	8,857	1,554	931	45	468	4,816	897	549	41,374	85,850	
<i>Notopterus notopterus</i>	0	0	538	0	0	14,640	0	589	0	0	0	0	6,501	0	0	5,929	778	9	0	0	708	29,691	
<i>Oreochromis mossambicus</i>	0	0	12,600	0	0	2,425	0	0	7	0	0	0	1,421	53	0	3,060	11	492	0	0	1,468	21,536	
<i>Osteogeneiosus militaries</i>	0	295	164	0	0	0	0	0	0	0	90	0	106	0	0	0	0	0	17	0	165	837	
Other mullets	1,230	1,792	2,734	2,796	0	630	608	0	58	338	4,560	0	2,028	0	0	45	47	63	11	0	2,234	19,173	
<i>Pangasius pangasius</i>	0	0	0	0	0	101	0	776	0	0	0	0	0	15	0	248	0	0	0	0	0	0	1,140
<i>Plotosus canius</i>	200	0	4,385	1,602	853	4,936	213	285	384	137	150	19	7,075	368	105	68	1,607	1,594	53	784	8,793	33,609	
<i>Rhabdosargus sarba</i> & <i>Crenidens</i>	1,080	647	16,203	16,548	0	1,891	193	0	22	608	345	34	296	77	446	0	63	1,126	19	11	6,201	45,809	
<i>Rhinomugil corsula</i>	0	0	0	0	7	1,364	0	0	0	0	0	0	227	0	0	90	0	0	0	0	0	1,687	

Contd...

Annex 5.14 Landing-center-wise catch &amp; effort statistics (November 2008): catch in kg

Scientific name	Landing Centre																	Total					
	Alupa- tana	Arakha- kuda	Balu- gaon	Balu- gaon- ghat	Baula- bandh	Bhus- anda- pur	Boradi	Boro- kudi	Chandra- put	Gaja- pati- nagar	Ganga- dhar- pur	Gour- anga- patna	Kalu- pada- ghat	Kesh- pur	Kimar- pur	Man- gala- jodi	Nairi		Pathara	Ramba	Sabulia	Sorana	
Silaginids	0	171	105	510	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	218	1,004
Strongylura strongylura	0	0	2,769	0	135	2,872	0	0	5	0	0	4	379	2,265	0	23	425	38	0	0	0	2,424	11,337
Terapon spp.	400	0	75	72	0	0	0	0	0	186	375	176	0	532	23	0	0	416	43	26	332	2,655	
Thryssa sp. & Stolephorus sp.	150	902	40,403	60	473	12,977	0	0	199	83	30	0	6,258	3,479	0	0	1,719	4,252	0	0	20,520	91,504	
Triacanthus biaculatus	0	0	3,036	0	695	158	662	0	374	95	0	161	242	327	184	0	691	2,151	207	144	2,782	11,911	
Wallago attu	0	0	0	0	0	1,545	0	195	0	0	0	0	1,459	0	0	765	0	0	0	0	0	0	3,964
<b>Crustacea</b>																							
Fenneropenaeus indicus	0	396	1,114	738	0	23	0	0	7	96	0	44	91	3	3	0	11	11	7	17	723	3,282	
Macrobrachium malcomsoni	0	0	0	0	0	1,353	0	0	0	0	0	0	665	0	0	0	0	0	0	0	30	2,048	
Macrobrachium sp.	0	0	1,500	0	0	9,236	0	323	0	0	0	0	0	0	0	3,229	0	0	2	0	0	14,289	
Metapenaeus dobsoni	420	279	8,858	15,042	0	1,230	1,895	11	0	360	0	4	15,161	0	8	0	72	0	15	0	10,494	53,848	
Metapenaeus monoceros	1,420	1,768	5,674	8,568	0	180	379	105	0	565	0	77	5,682	0	7	0	122	105	53	11	5,824	30,541	
Penaeus monodon	0	584	2,141	6,492	52	248	419	0	213	67	0	64	977	68	36	0	218	1,931	29	30	1,813	15,382	
Other crabs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Catch (unclassified)</b>	0	0	0	0	0	0	0	0	0	375	0	0	0	0	0	0	0	31	0	0	120	526	
<b>Total</b>	<b>6,140</b>	<b>11,625</b>	<b>136,799</b>	<b>63,918</b>	<b>5,186</b>	<b>131,594</b>	<b>12,922</b>	<b>3,746</b>	<b>2,522</b>	<b>12,951</b>	<b>9,825</b>	<b>2,531</b>	<b>108,761</b>	<b>11,045</b>	<b>2,567</b>	<b>21,589</b>	<b>11,036</b>	<b>24,244</b>	<b>1,941</b>	<b>2,492</b>	<b>168,159</b>	<b>751,591</b>	

Annex 5.15 Landing-center-wise catch &amp; effort statistics (December 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-andapur	Boradi	Borokudi	Chandra-put	Gajapati-nagar	Gangadarpur	Gourangapatana	Kalupadaghat	Keshpur	Kumarpur	Man-galajodi		Nairi	Pathara	Ramba	Sabulia	Sorana
<b>Fishing days</b>	186	1,343	3,792	155	967	2,554	589	698	791	1,240	372	628	2,940	705	674	1,876	1,633	3,069	659	512	3,658	29,040
<b>Finfish</b>																						
<i>Arius arius</i>	0	0	2,872	0	136	1,565	318	0	144	0	0	8	3,312	120	0	0	436	1,312	12	8	4,382	14,625
<i>Channa punctatus</i>	0	0	902	0	11	4,293	0	123	0	0	0	0	2,095	0	0	3,863	715	0	2	0	164	12,168
<i>Channa striatus</i>	0	0	767	0	0	11,646	305	375	0	0	0	0	4,784	71	0	8,406	701	19	0	0	16	27,090
<i>Cirrhana catla</i>	0	0	0	0	0	1,269	0	0	0	0	0	0	1,245	0	0	0	0	0	0	0	0	2,514
<i>Cirrhana mrigala</i>	0	0	0	0	0	205	0	0	0	0	0	0	620	0	0	0	0	0	0	0	0	825
<i>Datinoides</i>	0	0	182	0	433	1,718	411	0	0	0	0	0	1,020	0	0	0	363	82	0	0	3,213	7,423
<i>Daysciaena albida</i>	0	83	2,331	0	523	10,808	2,548	0	23	0	248	0	4,920	0	0	0	187	123	0	0	6,762	28,555
<i>Elasmobranchs, Sankucha</i>	0	0	0	0	0	260	0	0	0	0	0	0	0	8	0	0	0	0	8	0	0	276
<i>Eleutheronema tetradactylus</i>	310	199	1,299	0	11	1,876	0	0	88	0	103	0	3,597	0	0	0	9	1,747	0	0	2,621	11,861
<i>Etroplus suratensis</i>	0	0	2,688	0	177	205	77	0	98	0	0	0	1,830	155	0	0	404	827	0	0	3,443	9,902
<i>Gerreomorpha</i> spp.	0	0	341	0	0	281	0	0	0	3	52	12	725	31	0	0	23	7	0	0	876	2,350
<i>Hilsa (Tenuulosa) ilisha</i>	207	0	127	0	0	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	78	427
<i>Hyporhamphus limbatus</i>	0	0	4,235	0	283	2,911	0	0	0	0	0	0	1,798	0	0	0	358	37	0	0	3,887	13,509
<i>Laboe rohita</i>	0	0	53	0	0	3,788	0	0	0	0	0	0	4,301	0	0	0	43	0	0	0	264	8,450
<i>Lates calcarifer</i>	0	109	0	0	0	0	937	0	0	0	827	0	0	0	0	0	0	0	0	62	0	1,934
<i>Liza macrolepis</i>	52	0	136	0	11	0	0	0	0	0	0	0	78	0	0	0	3	18	0	0	336	634
<i>Liza tade</i>	0	0	447	0	0	19	315	0	140	2,201	444	231	1,771	557	295	328	3	284	212	234	3,964	11,445
<i>Mastacembealus</i> sp.	0	0	129	0	56	1,303	0	106	0	0	0	0	1,686	0	0	375	286	0	0	0	1,010	4,950

Contd...

Annex 5.15 Landing-center-wise catch &amp; effort statistics (December 2008): catch in kg

Scientific name	Landing Centre																Total					
	Alupa-tana	Arakha-kuda	Balu-gaon	Balu-gaon-ghat	Baula-bandh	Bhus-andapur	Boradi	Boro-kudi	Chandra-put	Gaja-pati-nagar	Ganga-dar-pur	Gour-angapatana	Kalu-pada-ghat	Kesh-pur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana
Misc. fishes (Fresh w)	0	0	851	0	71	1,398	0	252	0	0	827	0	3,965	0	0	4,537	195	13	0	0	2,257	14,364
Misc. fishes (Brackish w)	0	5,003	202	0	0	56	0	0	0	0	310	0	0	0	0	0	0	9	0	0	31	5,610
Mugil cephalus	610	470	3,774	0	71	3,211	1,505	0	623	1,677	1,447	27	3,876	269	205	0	128	1,514	78	205	7,330	27,021
Mystus gulio	52	0	4,382	0	147	1,005	1,918	594	0	19	796	2	7,361	71	25	539	505	705	0	0	4,333	22,454
Nematolosa nasus & A. chacunda	0	1,323	14,000	0	244	5,664	1,825	0	1,269	2,575	475	851	13,112	1,598	958	0	55	7,440	605	721	50,984	103,698
Notopterus notopterus	0	0	1,664	0	84	10,789	0	211	0	0	0	0	6,883	0	0	1,919	1,459	0	0	0	561	23,569
Oreochromis mossambicus	0	0	12,603	0	0	644	0	0	0	0	0	0	643	40	0	1,077	0	698	0	0	1,823	17,528
Osteogeneiosus militaries	0	286	0	0	0	37	0	0	0	0	155	0	0	0	0	0	0	0	0	0	616	1,094
Other mullets	599	2,260	1,144	0	9	37	100	35	0	62	4,454	0	763	0	0	82	9	105	0	0	942	10,600
Pangasius pangasius	0	0	0	0	0	409	0	738	0	0	0	0	124	0	0	47	0	0	0	0	0	1,318
Plotosus canius	310	0	4,396	0	359	3,244	393	124	186	112	0	43	7,869	343	62	0	1,111	1,512	163	35	15,791	36,053
Rhabdosargus sarba & Crendens	413	320	1,764	0	0	465	0	0	0	127	320	0	588	0	58	0	0	666	0	16	1,664	6,403
Rhinomugil corsula	0	0	0	0	0	1,046	0	0	0	0	0	0	1,715	17	0	24	0	0	0	0	281	3,082
Silaginids	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0	0	0	0	0	0	0	16
Strongylura strongylura	0	0	5,627	0	60	1,530	0	35	14	68	0	0	1,523	2,815	0	47	302	132	2	0	2,624	14,779
Terapon spp.	207	124	433	0	26	0	0	0	0	322	134	70	0	334	99	0	3	197	45	28	186	2,208
Thryssa sp. & Stolephorus sp.	775	637	62,520	0	776	5,280	55	0	186	37	331	0	2,717	2,769	0	0	1,507	3,765	0	0	18,510	99,865
Triacanthus biaculatus	0	0	1,793	0	47	857	773	0	302	109	0	78	327	231	118	0	158	2,295	176	252	1,649	9,164

Contd. ...

Annex 5.15 Landing-center-wise catch &amp; effort statistics (December 2008): catch in kg

Scientific name	Landing Centre																Total						
	Alupa-tana	Arakha-kuda	Balugaon	Balugaon-ghat	Baula-bandh	Bhusanda-pur	Boradi	Borokudi	Chandra-put	Gajapati-nagar	Gangadarpur	Gourangapatana	Kalupadaghat	Keshpur	Kumar-pur	Man-gala-jodi		Nairi	Pathara	Ramba	Sabulia	Sorana	
Wallago attu	0	0	31	0	0	1,258	0	337	0	0	0	0	395	0	0	24	77	0	0	0	0	0	2,122
<b>Crustacea</b>																							
Femeropenaeus indicus	0	231	124	0	0	0	36	0	0	34	0	3	0	41	8	0	0	7	6	6	6	78	574
Macrobrachium malcomsoni	0	0	0	0	0	75	0	0	0	0	0	0	516	0	0	0	0	0	0	0	0	0	591
Macrobrachium sp.	0	0	1,008	0	0	13,043	0	75	0	0	0	0	4,309	0	0	4,297	191	0	0	0	0	0	22,921
Metapenaeus dobsoni	579	185	20,596	0	17	3,764	3,785	16	0	267	0	83	18,083	0	16	0	108	802	12	10	20,445	68,765	
Metapenaeus monoceros	1,333	2,215	4,710	0	28	953	1,220	153	37	437	0	77	3,641	0	35	0	0	13	38	18	4,360	19,267	
Penaeus monodon	0	615	2,218	0	63	354	832	0	144	18	0	9	737	6	15	0	15	1,198	14	22	2,664	8,925	
<b>Catch (unclassified)</b>	0	0	1,599	57,732	0	11,434	0	0	0	0	0	0	1,025	0	0	0	0	2,706	0	0	0	75,117	
<b>Total</b>	<b>5,446</b>	<b>14,059</b>	<b>161,948</b>	<b>57,732</b>	<b>3,640</b>	<b>108,699</b>	<b>17,351</b>	<b>3,173</b>	<b>3,255</b>	<b>8,067</b>	<b>10,922</b>	<b>1,492</b>	<b>113,970</b>	<b>9,491</b>	<b>1,893</b>	<b>25,564</b>	<b>9,355</b>	<b>28,235</b>	<b>1,371</b>	<b>1,616</b>	<b>168,764</b>	<b>756,044</b>	





Annex 6.1 Gear-wise catch statistics (monthly, Oct 2007-Dec 2008): catch in kg

Scientific name	2007												2008																			
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
	Misc. fishes (Fresh w)	6,738	2,474	2,328	2,642	3,131	4,241	3,979	1,455	3,077	1,160	5,362	2,458	2,911	4,577	3,262	20,781	27,339	18,418	7,183	5,128	3,924	5,110	2,781	4,712	2,287	6,204	9,353	14,478	22,819	16,915	
Mugil cephalus	6,693	4,432	2,897	5,149	18,610	146,820	57,698	25,076	10,290	3,900	4,279	1,979	3,180	5,874	7,493	Mystus gulio	20,263	36,252	76,238	53,310	29,010	37,510	55,697	35,798	19,853	17,291	13,206	10,098	15,206	43,476	74,009	
Nematolosa nasus & A. chacunda	3,903	1,708	4,043	2,373	855	1,916	1,218	1,921	1,874	584	4,291	4,567	3,494	4,409	6,123	Notopterus notopterus	642	877	527	160	122	15	0	0	110	32	5,202	507	846	664		
Oreochromis mossambicus	225	628	961	644	247	281	0	68	18	181	100	0	0	115	140	Osteogeneiosus militaries	0	0	168	0	0	0	0	0	0	0	0	0	0	0	0	0
Other cat fishes	4,392	3,741	1,774	941	1,221	2,256	1,199	421	269	652	526	1,176	3,253	7,545	1,922	Other mullets	0	879	272	173	0	549	250	250	0	0	91	81	7	136	262	
Pangasius pangasius	5,142	7,965	11,114	8,984	8,310	10,079	5,978	4,649	6,718	4,521	4,501	5,298	9,272	11,694	16,567	Plotosus canius	1,994	1,259	613	333	76	1,452	15,916	18,606	4,145	4,301	9,746	5,440	20,460	4,666		
Rhabdosargus sarba, Crenidens etc.	1,433	181	266	1,085	372	207	125	188	147	60	113	81	184	84	1,005	Rhinomugil corsula	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0
Scylla serrata	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Scylla tranquebarica	684	863	289	62	0	79	75	102	0	108	163	63	113	245	35	
Silaginids	136	344	67	287	134	410	94	71	31	141	449	174	714	166	1,345	Strongylura strongylura	5,128	4,239	3,838	3,647	1,555	3,227	2,308	2,109	6,262	6,891	8,252	5,960	3,413	1,684	2,292	
Terapon spp.	14,493	27,670	18,342	3,439	5,870	10,821	9,276	6,774	4,145	5,518	7,850	4,013	3,725	10,296	29,644	Thryssa sp. & Stolephorus sp.	2,931	1,956	1,443	1,414	1,711	3,673	2,966	3,208	1,972	4,727	6,282	4,154	6,399	4,613	4,860	
Triacanthus biaculatus	684	916	573	431	145	177	600	693	324	343	257	340	240	797	498	Wallago attu																

Contid...



## Annex 6.2 Gear-wise catch (kg), October 2007 - December 2008

Scientific name	2008														
	2007						2008								
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Finfish</b>															
<i>Arius arius</i>	4,802	4,422	3,875	2,465	2,885	2,547	2,239	3,827	2,500	2,668	2,091	1,919	3,746	6,422	8,877
<i>Channa punctatus</i>	1,612	2,782	2,012	4,203	1,721	1,076	703	273	372	798	955	1,881	2,625	2,482	5,953
<i>Channa striatus</i>	1,027	1,743	932	2,008	770	1,131	889	498	808	1,264	1,010	2,067	4,713	2,740	9,224
<i>Chanos chanos</i>	14	0	58	0	0	24	0	5	0	0	0	0	0	0	0
<i>Cirrhana catla</i>	21	1,116	359	1,867	2,631	3,594	312	671	3,547	2,816	75	1,856	1,471	503	1,660
<i>Cirrhana mrigala</i>	0	0	162	367	58	622	0	318	281	1,101	0	346	396	70	699
<i>Datnoides</i> spp.	1,090	874	399	712	1,019	2,037	1,973	2,399	1,828	3,311	4,961	3,662	5,665	3,702	3,236
<i>Daysciaena albida</i>	21,631	17,770	13,029	9,676	9,084	16,471	14,488	22,504	16,972	17,290	10,772	12,006	23,070	19,654	15,802
<i>Elasmobranchs, Sankucha</i>	21	42	0	111	0	207	37	205	0	6	0	0	28	489	262
<i>Eleutheronema tetradactylus</i>	4,825	6,418	4,509	4,633	7,382	8,748	8,700	10,473	32,758	36,401	19,952	10,214	10,957	8,458	7,232
<i>Elops machnata</i>	112	6	0	0	0	0	11	0	49	0	19	0	3	0	0
<i>Etroplus suratensis</i>	879	6,592	1,356	556	1,199	863	1,339	1,975	3,892	2,539	5,541	5,634	8,080	5,576	9,046
<i>Gerreomorpha</i> spp.	1,417	1,220	420	234	209	1,006	1,362	1,913	3,957	2,735	3,314	1,574	2,219	952	741
<i>Hilsa (Tenulosa) ilisha</i>	9,814	6,475	3,835	1,421	928	708	585	1,048	429	733	645	425	392	159	152
<i>Hyporhamphus limbatus</i>	2,357	3,026	3,935	8,345	11,117	23,938	20,638	29,336	39,323	37,331	20,138	11,917	9,923	6,971	12,890
<i>Labeo rohita</i>	182	1,429	1,128	1,411	1,372	1,275	806	1,551	3,730	3,171	363	3,106	6,450	4,000	3,236
<i>Lates calcarifer</i>	170	1,325	888	265	244	0	587	1,228	748	643	476	188	542	475	2,272
<i>Liza macrolepis</i>	2,272	2,710	1,993	486	552	354	112	108	342	337	1,340	401	736	1,246	631
<i>Liza tade</i>	1,825	4,991	10,177	8,718	4,952	3,713	2,444	3,527	9,165	10,891	4,118	2,997	4,145	3,712	3,813
<i>Lutjanus</i> sp.	11	14	0	0	0	0	0	0	0	0	5	0	0	0	0
<i>Mastacembealus</i> sp.	417	1,060	79	290	430	741	936	1,434	1,261	1,336	1,003	1,498	2,331	0	2,244

Contid...

## Annex 6.2 Gear-wise catch (kg), October 2007 - December 2008

Scientific name	2008														
	2007						2008								
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Megalops cyprinoids	96	28	0	0	0	0	0	0	0	0	0	0	0	0	0
Misc. fishes (Brackish w)	52	385	122	312	109	73	40	258	276	2,683	4,324	1,041	1,417	968	2,507
Misc. fishes (Fresh w)	2,503	2,930	1,778	3,582	2,324	3,099	2,005	2,489	9,444	8,566	6,607	3,336	4,214	3,798	9,357
Mugil cephalus	13,217	20,706	18,803	8,623	5,772	6,555	4,781	5,722	9,453	15,079	18,583	14,501	19,325	18,710	15,702
Mystus gulio	6,117	6,062	4,354	5,953	11,967	23,552	20,377	15,799	13,817	8,504	6,798	7,484	12,263	13,758	14,159
Nematolosa nasus & A. chacunda	18,895	22,666	33,869	16,756	12,564	11,385	17,863	20,749	11,631	16,865	17,074	12,068	19,498	26,318	33,756
Notopterus notopterus	4,782	6,529	2,177	2,639	5,793	4,445	2,386	2,934	4,616	8,324	3,497	8,319	21,484	11,981	13,303
Oreochromis mossambicus	2,037	2,090	2,052	888	151	195	25	259	255	9,243	10,399	7,481	12,137	17,239	17,402
Osteogeneiosus militaries	629	488	1,055	586	360	297	62	153	37	289	275	196	276	364	419
Other cat fishes	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other mullets	5,831	4,177	3,677	1,951	740	923	425	3,262	1,535	6,769	10,374	5,454	10,834	6,509	10,538
Pangasius pangasius	16	439	110	25	238	0	0	0	24	0	0	6	50	343	542
Plotosus canius	5,157	6,885	5,820	6,273	5,665	9,314	6,800	8,075	5,705	6,479	5,552	3,928	5,999	9,371	9,595
Rhabdosargus sarba, Crenidens etc.	1,776	2,161	874	329	523	61	325	6,300	4,134	13,318	14,839	5,381	8,347	7,113	2,724
Rhinomugil corsula	770	920	972	622	535	1,135	269	546	867	1,637	801	830	1,061	1,004	2,254
Silaginids	492	130	69	15	0	24	44	0	0	4	119	46	262	119	0
Strongylura strongylura	3,339	3,108	3,480	7,327	9,290	12,465	12,118	16,616	20,957	25,475	20,068	12,087	11,236	10,581	16,826

Contid...





## Annex 6.3 Gear-wise catch (kg), October 2007 - December 2008

Scientific name	2007												2008																		
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Misc. fishes (Fresh w)	1,027	181	752	185	233	1,196	3,229	1,068	391	608	0	0	255	322	402	1,027	181	752	185	233	1,196	3,229	1,068	391	608	0	0	255	322	402	
Mugil cephalus	845	593	46	160	35	37	12	57	1,133	48	0	12	71	378	227	845	593	46	160	35	37	12	57	1,133	48	0	12	71	378	227	
Mystus gulio	3,668	795	347	949	314	1,678	487	449	1,447	193	31	605	559	727	426	3,668	795	347	949	314	1,678	487	449	1,447	193	31	605	559	727	426	
Nematolosa nasus & A. chacunda	8,993	12,202	12,244	4,129	5,314	3,393	10,700	7,308	5,860	6,511	6,873	5,187	4,427	13,174	13,097	8,993	12,202	12,244	4,129	5,314	3,393	10,700	7,308	5,860	6,511	6,873	5,187	4,427	13,174	13,097	
Notopterus notopterus	1,839	1,952	2,818	1,652	3,785	8,530	11,393	4,632	2,094	2,244	651	2,023	1,344	2,510	3,643	1,839	1,952	2,818	1,652	3,785	8,530	11,393	4,632	2,094	2,244	651	2,023	1,344	2,510	3,643	
Oreochromis mossambicus	53	28	0	0	12	0	0	0	610	0	0	0	0	0	1,048	53	28	0	0	12	0	0	0	610	0	0	0	0	0	0	1,048
Osteogeneiosus militaries	203	2,385	1,412	18	814	244	200	0	281	36	0	35	0	70	559	203	2,385	1,412	18	814	244	200	0	281	36	0	35	0	70	559	
Other cat fishes	0	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0	0	0	
Other mullets	802	370	69	37	23	98	162	23	2,344	84	0	242	14	0	122	802	370	69	37	23	98	162	23	2,344	84	0	242	14	0	122	
Pangasius pangasius	0	0	81	0	23	24	37	0	0	0	0	0	0	42	61	0	0	81	0	23	24	37	0	0	0	0	0	42	61		
Plotosus canius	1,000	1,966	2,407	1,368	1,355	6,126	4,010	1,574	934	505	125	127	1,068	783	1,651	1,000	1,966	2,407	1,368	1,355	6,126	4,010	1,574	934	505	125	127	1,068	783	1,651	
Rhabdosargus sarba, Crenidens etc.	64	21	23	0	70	0	0	546	24	205	0	35	0	0	0	64	21	23	0	70	0	0	546	24	205	0	35	0	0	0	0
Rhinomugil corsula	64	0	0	49	0	0	25	0	0	0	0	0	0	0	0	64	0	0	49	0	0	25	0	0	0	0	0	0	0	0	0
Silaginids	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Strongylura strongylura	4,529	1,659	361	12	163	476	100	955	562	1,583	100	801	31	797	888	4,529	1,659	361	12	163	476	100	955	562	1,583	100	801	31	797	888	
Terapon spp.	374	0	0	0	93	73	125	182	452	554	238	115	3,678	266	349	374	0	0	0	93	73	125	182	452	554	238	115	3,678	266	349	
Thryssa sp. & Stolephorus sp.	65,455	67,752	104,767	40,000	60,967	43,531	29,620	66,321	54,596	48,560	33,521	30,566	36,325	62,246	66,418	65,455	67,752	104,767	40,000	60,967	43,531	29,620	66,321	54,596	48,560	33,521	30,566	36,325	62,246	66,418	
Triacanthus biaiculatus	1,444	5,592	2,655	210	2,337	610	887	3,739	3,870	2,997	1,859	1,406	2,030	2,426	1,590	1,444	5,592	2,655	210	2,337	610	887	3,739	3,870	2,997	1,859	1,406	2,030	2,426	1,590	
Wallago attu	412	335	474	937	802	2,660	1,112	1,137	1,001	1,631	100	380	240	441	271	412	335	474	937	802	2,660	1,112	1,137	1,001	1,631	100	380	240	441	271	

Contid...

## Annex 6.3 Gear-wise catch (kg), October 2007 - December 2008

Scientific name	2007					2008									
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Crustacea</b>															
Fenneropenaeus indicus	187	112	0	0	0	0	50	614	1,306	728	551	605	446	63	114
Macrobrachium malcomsoni	1,198	321	23	0	23	159	125	449	147	156	144	259	141	28	0
Macrobrachium sp.	0	906	0	123	58	805	2,636	3,080	0	0	0	0	0	0	0
Metapenaeus dobsoni	1,358	265	0	222	314	244	662	1,364	977	349	119	231	177	210	1,394
Metapenaeus monoceros	610	1,311	589	610	715	1,757	1,374	1,006	800	337	1,365	1,072	976	357	1,040
Penaeus monodon	128	98	17	259	1	85	550	563	516	445	338	133	259	119	301
<b>Catch (unclassified)</b>	0	0	0	388	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>113,884</b>	<b>107,431</b>	<b>140,963</b>	<b>59,883</b>	<b>91,667</b>	<b>82,839</b>	<b>75,063</b>	<b>103,210</b>	<b>96,228</b>	<b>79,772</b>	<b>48,204</b>	<b>49,060</b>	<b>64,701</b>	<b>95,020</b>	<b>105,117</b>











## Annex 6.7 Gear-wise catch (kg), October 2007 - December 2008

Long Line

Scientific name	2007			2008											
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Rhabdosargus sarba, Crenidens etc.	0	0	0	0	0	0	0	0	0	0	1,077	69	57	0	52
Strongylura strongylura	0	0	58	0	0	0	0	0	183	0	0	0	0	0	52
Triacanthus biaculatus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	105
Thryssa sp. & Stolephorus sp.	0	0	0	0	70	0	0	0	0	0	0	0	0	0	56
Wallago attu	0	28	12	0	116	0	0	0	0	0	0	0	14	42	236
<b>Catch (unclassified)</b>	0	0	0	286	628	0	375	0	0	0	0	0	0	0	0
<b>Total</b>	<b>10,097</b>	<b>16,217</b>	<b>10,789</b>	<b>8,773</b>	<b>11,633</b>	<b>13,534</b>	<b>23,710</b>	<b>21,527</b>	<b>43,956</b>	<b>19,412</b>	<b>17,627</b>	<b>15,884</b>	<b>27,800</b>	<b>23,110</b>	<b>31,472</b>

## Annex 6.8 Gear-wise catch (kg), October 2007 - December 2008

Scientific name	2007					2008									
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Unknown</b>															
<b>Finfish</b>															
<i>Arius arius</i>	2,609	209	995	0	442	1,434	1,387	602	183	349	213	380	863	1,063	0
<i>Channa punctatus</i>	0	0	0	0	0	12	0	17	0	0	0	0	396	0	0
<i>Channa striatus</i>	0	0	116	0	23	0	0	546	0	0	0	0	523	0	0
<i>Chanos chanos</i>	107	0	0	0	0	146	125	0	0	0	0	0	0	0	0
<i>Cirrhana catla</i>	0	0	0	0	0	0	0	1,137	0	0	0	0	0	0	0
<i>Cirrhana mrigala</i>	0	0	0	0	0	0	0	409	0	0	0	0	0	0	0
<i>Datnoides</i> spp.	0	0	0	0	0	0	0	546	0	0	0	0	71	0	0
<i>Daysciaena albida</i>	2,224	0	440	25	93	12	337	2,148	366	554	714	35	651	951	0
<i>Elasmobranchs, Sankucha</i>	0	0	868	0	814	1,586	2,186	1,444	305	0	0	0	0	0	0
<i>Eleutheronema tetradactylus</i>	5,111	0	5,127	271	3,116	1,977	3,236	2,563	5,152	7,329	7,437	3,585	5,050	3,776	0
<i>Elops machnata</i>	0	0	35	0	0	73	0	0	0	0	0	0	0	0	0
<i>Etroplus suratensis</i>	53	0	0	0	70	0	0	0	0	0	0	0	141	0	0
<i>Gerreomorpha</i> spp.	3,037	279	1,944	25	279	49	1,587	6,263	3,308	1,926	5,834	2,432	3,084	1,357	0
<i>Hilsa (Tenulosa) ilisha</i>	791	0	440	62	151	342	337	0	0	0	0	0	0	0	0
<i>Hyporhamphus limbatus</i>	0	0	0	0	0	342	0	3,001	0	0	0	0	608	0	0
<i>Labeo rohita</i>	53	0	0	0	0	0	0	239	0	0	0	0	0	0	0
<i>Lates calcarifer</i>	1,187	84	2,604	0	2,907	2,343	1,736	307	623	241	526	392	1,570	3,147	0
<i>Liza macrolepis</i>	1,978	0	347	0	116	0	37	0	0	0	75	0	42	587	0
<i>Liza tade</i>	3,614	139	5,474	62	3,779	4,833	5,447	3,273	3,467	6,354	6,122	380	1,280	1,398	0
<i>Lutjanus</i> sp.	0	0	0	0	0	0	0	0	0	0	38	0	0	0	0
<i>Mastacembealus</i> sp.	0	0	0	0	0	0	0	216	0	0	0	0	42	0	0
<i>Megalops cyprinoids</i>	813	0	0	0	0	0	0	0	0	0	0	0	1,910	0	0
Misc. fishes (Brackish w)	43	56	93	0	23	37	17,590	2,035	3,455	11,806	24,250	4,426	279	280	0
Misc. fishes (Fresh w)	1,444	0	324	0	0	183	250	1,034	24	0	3,969	507	559	0	0

Contd...



